Tolbachite ($CuCl_2$) Structure: A2B_mC6_12_i_a-001

This structure previously used the label(s) `A2B_mC6_12_i_a`. Calls to these addresses will be redirected here.

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

---

https://aflow.org/prototype-encyclopedia/PNDR

https://aflow.org/prototype-encyclopedia/A2B_mC6_12_i_a-001

Prototype	Cl_2Cu
AFLOW prototype label	A2B_mC6_12_i_a-001
Mineral name	tolbachite
ICSD	66645
CCDC	1628712
Pearson symbol	mC6
Space group number	12
Space group symbol	$C2/m$
AFLOW prototype command	`aflow --proto=A2B_mC6_12_i_a-001 --params=`$a, b/a, c/a, \beta, x_2, z_2$

Other compounds with this structure

$CuBr_2$

Base-centered Monoclinic primitive vectors

$$\mathbf{a_1} = \frac{1}{2}a\,\hat{\mathbf{x}} - \frac{1}{2}b\,\hat{\mathbf{y}}$$
$$\mathbf{a_2} = \frac{1}{2}a\,\hat{\mathbf{x}} + \frac{1}{2}b\,\hat{\mathbf{y}}$$
$$\mathbf{a_3} = c\cos\beta\,\hat{\mathbf{x}} + c\sin\beta\,\hat{\mathbf{z}}$$



Basis vectors

		Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B_1}$	=	0	=	0	(2a)	Cu I
$\mathbf{B_2}$	=	$x_2\,\mathbf{a}_1 + x_2\,\mathbf{a}_2 + z_2\,\mathbf{a}_3$	=	$(ax_2 + cz_2\cos\beta)\,\hat{\mathbf{x}} + cz_2\sin\beta\,\hat{\mathbf{z}}$	(4i)	Cl I
$\mathbf{B_3}$	=	$-x_2\,\mathbf{a}_1 - x_2\,\mathbf{a}_2 - z_2\,\mathbf{a}_3$	=	$-(ax_2 + cz_2\cos\beta)\,\hat{\mathbf{x}} - cz_2\sin\beta\,\hat{\mathbf{z}}$	(4i)	Cl I

References

[1] P. C. Burns and F. C. Hawthorne, *Tolbachite, $CuCl^{2+}$, the first example of Cu_2 octahedrally coordinated by Cl^-*, American Mineralogist **78**, 187–189 (1993).

First cited in

D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.