

$E6_2$ $[\text{SrO}_2(\text{H}_2\text{O})_8]$ (Possibly Obsolete) Structure: A8B2C_tP11_123_r_h_a-001


This structure previously used the label(s) **A8B2C_tP11_123_r_h_a**. Calls to these addresses will be redirected here.

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/E0G5>

https://aflow.org/prototype-encyclopedia/A8B2C_tP11_123_r_h_a-001




Prototype	$(\text{H}_2\text{O})_8\text{O}_2\text{Sr}$
AFLOW prototype label	A8B2C_tP11_123_r_h_a-001
<i>Strukturbericht</i> designation	$E6_2$
ICSD	28840
CCDC	1603876
Pearson symbol	tP11
Space group number	123
Space group symbol	$P4/mmm$
AFLOW prototype command	<code>aflow --proto=A8B2C_tP11_123_r_h_a-001 --params=a, c/a, z₂, x₃, z₃</code>

Other compounds with this structure
 $\text{CaO}_2(\text{H}_2\text{O})_8$, $\text{BrO}_2(\text{H}_2\text{O})_8$

- This structure was designated $E6_2$ by (Hermann, 1937). (Shineman, 1951) suggest that this should be replaced by their $\text{CaO}_2(\text{H}_2\text{O})_8$ structure.

Simple Tetragonal primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= a \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$=$	0	$=$	0	$(1a)$ Sr I
$\mathbf{B}_2$	$=$	$\frac{1}{2} \mathbf{a}_1 + \frac{1}{2} \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{1}{2}a \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	$(2h)$ O I
$\mathbf{B}_3$	$=$	$\frac{1}{2} \mathbf{a}_1 + \frac{1}{2} \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{1}{2}a \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	$(2h)$ O I
$\mathbf{B}_4$	$=$	$x_3 \mathbf{a}_1 + x_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + ax_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	$(8r)$ H I
$\mathbf{B}_5$	$=$	$-x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} - ax_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	$(8r)$ H I
$\mathbf{B}_6$	$=$	$-x_3 \mathbf{a}_1 + x_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + ax_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	$(8r)$ H I
$\mathbf{B}_7$	$=$	$x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} - ax_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	$(8r)$ H I
$\mathbf{B}_8$	$=$	$-x_3 \mathbf{a}_1 + x_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + ax_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	$(8r)$ H I
$\mathbf{B}_9$	$=$	$x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} - ax_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	$(8r)$ H I
$\mathbf{B}_{10}$	$=$	$x_3 \mathbf{a}_1 + x_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + ax_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	$(8r)$ H I
$\mathbf{B}_{11}$	$=$	$-x_3 \mathbf{a}_1 - x_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} - ax_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	$(8r)$ H I

References

- [1] G. Natta, , Gazz. Chim. Ital. **62**, 444 (1932).

Found in

- [1] R. S. Shineman and A. J. King, *The space group of calcium peroxide octahydrate*, Acta Cryst. **4**, 67–68 (1951), doi:10.1107/S0365110X5100012X.

First cited in

D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.