

Zr₂CuSb₃ Structure:


AB3C2_tP6_115_a_bg_g-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettl, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/NQAB>

https://aflow.org/prototype-encyclopedia/AB3C2_tP6_115_a_bg_g-001




Prototype	CuSb ₃ Zr ₂
AFLOW prototype label	AB3C2_tP6_115_a_bg_g-001
ICSD	93242
CCDC	1652711
Pearson symbol	tP6
Space group number	115
Space group symbol	$P\bar{4}m2$
AFLOW prototype command	<code>aflow --proto=AB3C2_tP6_115_a_bg_g-001</code> <code>--params=a, c/a, z₃, z₄</code>

Other compounds with this structure
Hf₂CuSb₃, Hf₂GaSb₃, Ti₂CuSb₃, Zr₂PdSb₃

Simple Tetragonal primitive vectors



$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= a \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$=$	0	$=$	0	Cu I
$\mathbf{B}_2$	$=$	$\frac{1}{2} \mathbf{a}_1 + \frac{1}{2} \mathbf{a}_2$	$=$	$\frac{1}{2} a \hat{\mathbf{x}} + \frac{1}{2} a \hat{\mathbf{y}}$	Sb I
$\mathbf{B}_3$	$=$	$\frac{1}{2} \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$\frac{1}{2} a \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	Sb II
$\mathbf{B}_4$	$=$	$\frac{1}{2} \mathbf{a}_1 - z_3 \mathbf{a}_3$	$=$	$\frac{1}{2} a \hat{\mathbf{x}} - cz_3 \hat{\mathbf{z}}$	Sb II
$\mathbf{B}_5$	$=$	$\frac{1}{2} \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$\frac{1}{2} a \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	Zr I
$\mathbf{B}_6$	$=$	$\frac{1}{2} \mathbf{a}_1 - z_4 \mathbf{a}_3$	$=$	$\frac{1}{2} a \hat{\mathbf{x}} - cz_4 \hat{\mathbf{z}}$	Zr I

References

- [1] N. Koblyuk, G. Melnyk, L. Romaka, O. I. Bodak, and D. Fruchart, *Crystal structure of Zr_2CuSb_3 and related compounds*, J. Alloys Compd. **317-318**, 284–286 (2001), doi:10.1016/S0925-8388(00)01349-9.

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.