

Re₂O₅(SO₄)₂ Structure: A13B2C2_oP34_32_a6c_c_c-001


This structure previously used the label(s) **A13B2C2_oP34_32_a6c_c_c**. Calls to these addresses will be redirected here.

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/16XX>


https://aflow.org/prototype-encyclopedia/A13B2C2_oP34_32_a6c_c_c-001



Prototype	O ₁₃ Re ₂ S ₂
AFLOW prototype label	A13B2C2_oP34_32_a6c_c_c-001
ICSD	421956
CCDC	1733766
Pearson symbol	oP34
Space group number	32
Space group symbol	<i>Pba</i> 2
AFLOW prototype command	<pre>aflow --proto=A13B2C2_oP34_32_a6c_c_c-001 --params=a,b/a,c/a,z₁,x₂,y₂,z₂,x₃,y₃,z₃,x₄,y₄,z₄,x₅,y₅,z₅,x₆,y₆,z₆,x₇,y₇,z₇,x₈, y₈,z₈,x₉,y₉,z₉</pre>

Simple Orthorhombic primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= z_1 \mathbf{a}_3$	$=$	$cz_1 \hat{\mathbf{z}}$	(2a)	O I
$\mathbf{B}_2$	$= \frac{1}{2} \mathbf{a}_1 + \frac{1}{2} \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{1}{2}b \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(2a)	O I
$\mathbf{B}_3$	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_4$	$= -x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_5$	$= (x_2 + \frac{1}{2}) \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$a(x_2 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_6$	$= -(x_2 - \frac{1}{2}) \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-a(x_2 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_7$	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_8$	$= -x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_9$	$= (x_3 + \frac{1}{2}) \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{10}$	$= -(x_3 - \frac{1}{2}) \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{11}$	$= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{12}$	$= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$-ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{13}$	$= (x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{14}$	$= -(x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O IV
$\mathbf{B}_{15}$	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{16}$	$= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{17}$	$= (x_5 + \frac{1}{2}) \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{18}$	$= -(x_5 - \frac{1}{2}) \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O V
$\mathbf{B}_{19}$	$= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{20}$	$= -x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$-ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{21}$	$= (x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{22}$	$= -(x_6 - \frac{1}{2}) \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(4c)	O VI
$\mathbf{B}_{23}$	$= x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4c)	O VII
$\mathbf{B}_{24}$	$= -x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$-ax_7 \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4c)	O VII
$\mathbf{B}_{25}$	$= (x_7 + \frac{1}{2}) \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(4c)	O VII

$$\begin{aligned}
\mathbf{B}_{26} &= -\left(x_7 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_7 + \frac{1}{2}\right) \mathbf{a}_2 + z_7 \mathbf{a}_3 = -a\left(x_7 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_7 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} & (4c) & \text{O VII} \\
\mathbf{B}_{27} &= x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3 = ax_8 \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} & (4c) & \text{Re I} \\
\mathbf{B}_{28} &= -x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3 = -ax_8 \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} & (4c) & \text{Re I} \\
\mathbf{B}_{29} &= \left(x_8 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_8 - \frac{1}{2}\right) \mathbf{a}_2 + z_8 \mathbf{a}_3 = a\left(x_8 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_8 - \frac{1}{2}\right) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} & (4c) & \text{Re I} \\
\mathbf{B}_{30} &= -\left(x_8 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_8 + \frac{1}{2}\right) \mathbf{a}_2 + z_8 \mathbf{a}_3 = -a\left(x_8 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_8 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}} & (4c) & \text{Re I} \\
\mathbf{B}_{31} &= x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3 = ax_9 \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} & (4c) & \text{S I} \\
\mathbf{B}_{32} &= -x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3 = -ax_9 \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} & (4c) & \text{S I} \\
\mathbf{B}_{33} &= \left(x_9 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_9 - \frac{1}{2}\right) \mathbf{a}_2 + z_9 \mathbf{a}_3 = a\left(x_9 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_9 - \frac{1}{2}\right) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} & (4c) & \text{S I} \\
\mathbf{B}_{34} &= -\left(x_9 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_9 + \frac{1}{2}\right) \mathbf{a}_2 + z_9 \mathbf{a}_3 = -a\left(x_9 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_9 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}} & (4c) & \text{S I}
\end{aligned}$$

References

- [1] U. Betke and M. S. Wickleder, *Sulfates of the Refractory Metals: Crystal Structure and Thermal Behavior of $\text{Nb}_2\text{O}_2(\text{SO}_4)_3$, $\text{MoO}_2(\text{SO}_4)$, $\text{WO}(\text{SO}_4)_2$, and Two Modifications of $\text{Re}_2\text{O}_5(\text{SO}_4)_2$* , Inorg. Chem. **50**, 858–872 (2001), doi:10.1021/ic101455z.

Found in

- [1] P. Villars and K. Cenzual, *Pearson's Crystal Data – Crystal Structure Database for Inorganic Compounds* (2013). ASM International.

First cited in

D. Hicks, M. J. Mehl, E. Gossett, C. Toher, O. Levy, R. M. Hanson, G. Hart, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 2*, Comput. Mater. Sci. **161**, S1 (2019). doi: 10.1016/j.commatsci.2018.10.043