


High pressure $\text{Bi}_2\text{Fe}_4\text{O}_9$ Structure: A2B4C9_oP60_62_d_2cd_3c3d-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettl, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/BYQL>

https://aflow.org/prototype-encyclopedia/A2B4C9_oP60_62_d_2cd_3c3d-001



Prototype	$\text{Bi}_2\text{Fe}_4\text{O}_9$
AFLOW prototype label	A2B4C9_oP60_62_d_2cd_3c3d-001
ICSD	186444
CCDC	1695609
Pearson symbol	oP60
Space group number	62
Space group symbol	$Pnma$
AFLOW prototype command	<pre>aflow --proto=A2B4C9_oP60_62_d_2cd_3c3d-001 --params=a,b/a,c/a,x1,z1,x2,z2,x3,z3,x4,z4,x5,z5,x6,y6,z6,x7,y7,z7,x8,y8,z8, x9,y9,z9,x10,y10,z10</pre>


- This is the high pressure phase of $\text{Bi}_2\text{Fe}_4\text{O}_9$, using data taken by (Friedrich, 2012) at 9.4GPa. Below 6.89GPa it transforms to the low pressure $\text{Bi}_2\text{Fe}_4\text{O}_9$ structure.

Simple Orthorhombic primitive vectors

$$\mathbf{a}_1 = a \hat{\mathbf{x}}$$

$$\mathbf{a}_2 = b \hat{\mathbf{y}}$$

$$\mathbf{a}_3 = c \hat{\mathbf{z}}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= x_1 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(4c)	Fe I
$\mathbf{B}_2$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	Fe I
$\mathbf{B}_3$	$= -x_1 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(4c)	Fe I
$\mathbf{B}_4$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	Fe I
$\mathbf{B}_5$	$= x_2 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4c)	Fe II
$\mathbf{B}_6$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	Fe II
$\mathbf{B}_7$	$= -x_2 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(4c)	Fe II
$\mathbf{B}_8$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	Fe II
$\mathbf{B}_9$	$= x_3 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4c)	O I
$\mathbf{B}_{10}$	$= -\left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + \left(z_3 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c\left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	O I
$\mathbf{B}_{11}$	$= -x_3 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(4c)	O I
$\mathbf{B}_{12}$	$= \left(x_3 + \frac{1}{2}\right) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - \left(z_3 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_3 + \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c\left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	O I
$\mathbf{B}_{13}$	$= x_4 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$ax_4 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_{14}$	$= -\left(x_4 - \frac{1}{2}\right) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + \left(z_4 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_4 - \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c\left(z_4 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_{15}$	$= -x_4 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$-ax_4 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_{16}$	$= \left(x_4 + \frac{1}{2}\right) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - \left(z_4 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_4 + \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c\left(z_4 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	O II
$\mathbf{B}_{17}$	$= x_5 \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$ax_5 \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{18}$	$= -\left(x_5 - \frac{1}{2}\right) \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_5 - \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{19}$	$= -x_5 \mathbf{a}_1 + \frac{3}{4} \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$-ax_5 \hat{\mathbf{x}} + \frac{3}{4}b \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{20}$	$= \left(x_5 + \frac{1}{2}\right) \mathbf{a}_1 + \frac{1}{4} \mathbf{a}_2 - \left(z_5 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_5 + \frac{1}{2}\right) \hat{\mathbf{x}} + \frac{1}{4}b \hat{\mathbf{y}} - c\left(z_5 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(4c)	O III
$\mathbf{B}_{21}$	$= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(8d)	Bi I

$\mathbf{B}_{22} =$	$-(x_6 - \frac{1}{2}) \mathbf{a}_1 - y_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Bi I
$\mathbf{B}_{23} =$	$-x_6 \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 - z_6 \mathbf{a}_3$	$=$	$-ax_6 \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}}$	(8d)	Bi I
$\mathbf{B}_{24} =$	$(x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Bi I
$\mathbf{B}_{25} =$	$-x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3$	$=$	$-ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}}$	(8d)	Bi I
$\mathbf{B}_{26} =$	$(x_6 + \frac{1}{2}) \mathbf{a}_1 + y_6 \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Bi I
$\mathbf{B}_{27} =$	$x_6 \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$ax_6 \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(8d)	Bi I
$\mathbf{B}_{28} =$	$-(x_6 - \frac{1}{2}) \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Bi I
$\mathbf{B}_{29} =$	$x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{30} =$	$-(x_7 - \frac{1}{2}) \mathbf{a}_1 - y_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{31} =$	$-x_7 \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 - z_7 \mathbf{a}_3$	$=$	$-ax_7 \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} - cz_7 \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{32} =$	$(x_7 + \frac{1}{2}) \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 - (z_7 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} - c(z_7 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{33} =$	$-x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 - z_7 \mathbf{a}_3$	$=$	$-ax_7 \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} - cz_7 \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{34} =$	$(x_7 + \frac{1}{2}) \mathbf{a}_1 + y_7 \mathbf{a}_2 - (z_7 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} - c(z_7 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{35} =$	$x_7 \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$ax_7 \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{36} =$	$-(x_7 - \frac{1}{2}) \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	Fe III
$\mathbf{B}_{37} =$	$x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3$	$=$	$ax_8 \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{38} =$	$-(x_8 - \frac{1}{2}) \mathbf{a}_1 - y_8 \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_8 - \frac{1}{2}) \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{39} =$	$-x_8 \mathbf{a}_1 + (y_8 + \frac{1}{2}) \mathbf{a}_2 - z_8 \mathbf{a}_3$	$=$	$-ax_8 \hat{\mathbf{x}} + b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} - cz_8 \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{40} =$	$(x_8 + \frac{1}{2}) \mathbf{a}_1 - (y_8 - \frac{1}{2}) \mathbf{a}_2 - (z_8 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_8 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} - c(z_8 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{41} =$	$-x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 - z_8 \mathbf{a}_3$	$=$	$-ax_8 \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} - cz_8 \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{42} =$	$(x_8 + \frac{1}{2}) \mathbf{a}_1 + y_8 \mathbf{a}_2 - (z_8 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_8 + \frac{1}{2}) \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} - c(z_8 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{43} =$	$x_8 \mathbf{a}_1 - (y_8 - \frac{1}{2}) \mathbf{a}_2 + z_8 \mathbf{a}_3$	$=$	$ax_8 \hat{\mathbf{x}} - b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{44} =$	$-(x_8 - \frac{1}{2}) \mathbf{a}_1 + (y_8 + \frac{1}{2}) \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_8 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O IV
$\mathbf{B}_{45} =$	$x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$ax_9 \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{46} =$	$-(x_9 - \frac{1}{2}) \mathbf{a}_1 - y_9 \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_9 - \frac{1}{2}) \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{47} =$	$-x_9 \mathbf{a}_1 + (y_9 + \frac{1}{2}) \mathbf{a}_2 - z_9 \mathbf{a}_3$	$=$	$-ax_9 \hat{\mathbf{x}} + b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} - cz_9 \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{48} =$	$(x_9 + \frac{1}{2}) \mathbf{a}_1 - (y_9 - \frac{1}{2}) \mathbf{a}_2 - (z_9 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_9 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} - c(z_9 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{49} =$	$-x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 - z_9 \mathbf{a}_3$	$=$	$-ax_9 \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} - cz_9 \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{50} =$	$(x_9 + \frac{1}{2}) \mathbf{a}_1 + y_9 \mathbf{a}_2 - (z_9 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_9 + \frac{1}{2}) \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} - c(z_9 - \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{51} =$	$x_9 \mathbf{a}_1 - (y_9 - \frac{1}{2}) \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$ax_9 \hat{\mathbf{x}} - b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{52} =$	$-(x_9 - \frac{1}{2}) \mathbf{a}_1 + (y_9 + \frac{1}{2}) \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_9 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}}$	(8d)	O V
$\mathbf{B}_{53} =$	$x_{10} \mathbf{a}_1 + y_{10} \mathbf{a}_2 + z_{10} \mathbf{a}_3$	$=$	$ax_{10} \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}}$	(8d)	O VI

$$\begin{aligned}
\mathbf{B}_{54} &= \begin{matrix} -\left(x_{10} - \frac{1}{2}\right) \mathbf{a}_1 - y_{10} \mathbf{a}_2 + \\ \left(z_{10} + \frac{1}{2}\right) \mathbf{a}_3 \end{matrix} = -a \left(x_{10} - \frac{1}{2}\right) \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} + c \left(z_{10} + \frac{1}{2}\right) \hat{\mathbf{z}} & (8d) & \text{O VI} \\
\mathbf{B}_{55} &= -x_{10} \mathbf{a}_1 + \left(y_{10} + \frac{1}{2}\right) \mathbf{a}_2 - z_{10} \mathbf{a}_3 = -ax_{10} \hat{\mathbf{x}} + b \left(y_{10} + \frac{1}{2}\right) \hat{\mathbf{y}} - cz_{10} \hat{\mathbf{z}} & (8d) & \text{O VI} \\
\mathbf{B}_{56} &= \begin{matrix} \left(x_{10} + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_{10} - \frac{1}{2}\right) \mathbf{a}_2 - \\ \left(z_{10} - \frac{1}{2}\right) \mathbf{a}_3 \end{matrix} = \begin{matrix} a \left(x_{10} + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_{10} - \frac{1}{2}\right) \hat{\mathbf{y}} - \\ c \left(z_{10} - \frac{1}{2}\right) \hat{\mathbf{z}} \end{matrix} & (8d) & \text{O VI} \\
\mathbf{B}_{57} &= -x_{10} \mathbf{a}_1 - y_{10} \mathbf{a}_2 - z_{10} \mathbf{a}_3 = -ax_{10} \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} - cz_{10} \hat{\mathbf{z}} & (8d) & \text{O VI} \\
\mathbf{B}_{58} &= \begin{matrix} \left(x_{10} + \frac{1}{2}\right) \mathbf{a}_1 + y_{10} \mathbf{a}_2 - \\ \left(z_{10} - \frac{1}{2}\right) \mathbf{a}_3 \end{matrix} = \begin{matrix} a \left(x_{10} + \frac{1}{2}\right) \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} - c \left(z_{10} - \frac{1}{2}\right) \hat{\mathbf{z}} \end{matrix} & (8d) & \text{O VI} \\
\mathbf{B}_{59} &= x_{10} \mathbf{a}_1 - \left(y_{10} - \frac{1}{2}\right) \mathbf{a}_2 + z_{10} \mathbf{a}_3 = ax_{10} \hat{\mathbf{x}} - b \left(y_{10} - \frac{1}{2}\right) \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}} & (8d) & \text{O VI} \\
\mathbf{B}_{60} &= \begin{matrix} -\left(x_{10} - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_{10} + \frac{1}{2}\right) \mathbf{a}_2 + \\ \left(z_{10} + \frac{1}{2}\right) \mathbf{a}_3 \end{matrix} = \begin{matrix} -a \left(x_{10} - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_{10} + \frac{1}{2}\right) \hat{\mathbf{y}} + \\ c \left(z_{10} + \frac{1}{2}\right) \hat{\mathbf{z}} \end{matrix} & (8d) & \text{O VI}
\end{aligned}$$

References

- [1] A. Friedrich, J. Biehler, W. Morgenroth, L. Wiehl, B. Winkler, M. Hanfland, M. Tolkiehn, M. Burianek, and M. Mühlberg, *High-pressure phase transition of $\text{Bi}_2\text{Fe}_4\text{O}_9$* , J. Phys.: Condens. Matter **24**, 145401 (2012), doi:10.1088/0953-8984/24/14/145401.

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.