

ReP₄ Structure:


A4B_oP40_61_4c_c-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Osos, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/3PB1>

https://aflow.org/prototype-encyclopedia/A4B_oP40_61_4c_c-001



Prototype	P ₄ Re
AFLOW prototype label	A4B_oP40_61_4c_c-001
ICSD	8197
CCDC	1593981
Pearson symbol	oP40
Space group number	61
Space group symbol	Pbca
AFLOW prototype command	<code>aflow --proto=A4B_oP40_61_4c_c-001</code> <code>--params=a, b/a, c/a, x₁, y₁, z₁, x₂, y₂, z₂, x₃, y₃, z₃, x₄, y₄, z₄, x₅, y₅, z₅</code>


Simple Orthorhombic primitive vectors



$$\mathbf{a}_1 = a \hat{\mathbf{x}}$$

$$\mathbf{a}_2 = b \hat{\mathbf{y}}$$

$$\mathbf{a}_3 = c \hat{\mathbf{z}}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_2$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 - y_1 \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_3$	$= -x_1 \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_4$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_5$	$= -x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_6$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 + y_1 \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_7$	$= x_1 \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_8$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	P I
$\mathbf{B}_9$	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{10}$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 - y_2 \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{11}$	$= -x_2 \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{12}$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{13}$	$= -x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{14}$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 + y_2 \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{15}$	$= x_2 \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{16}$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	P II
$\mathbf{B}_{17}$	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(8c)	P III
$\mathbf{B}_{18}$	$= -\left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 - y_3 \mathbf{a}_2 + \left(z_3 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c\left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P III
$\mathbf{B}_{19}$	$= -x_3 \mathbf{a}_1 + \left(y_3 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_3 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + b\left(y_3 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P III
$\mathbf{B}_{20}$	$= \left(x_3 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_3 - \frac{1}{2}\right) \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$a\left(x_3 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_3 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(8c)	P III
$\mathbf{B}_{21}$	$= -x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(8c)	P III
$\mathbf{B}_{22}$	$= \left(x_3 + \frac{1}{2}\right) \mathbf{a}_1 + y_3 \mathbf{a}_2 - \left(z_3 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_3 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} - c\left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	P III

$$\begin{aligned}
\mathbf{B}_{23} &= x_3 \mathbf{a}_1 - \left(y_3 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_3 + \frac{1}{2}\right) \mathbf{a}_3 = ax_3 \hat{\mathbf{x}} - b \left(y_3 - \frac{1}{2}\right) \hat{\mathbf{y}} + c \left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{P III} \\
\mathbf{B}_{24} &= - \left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_3 + \frac{1}{2}\right) \mathbf{a}_2 + z_3 \mathbf{a}_3 = -a \left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_3 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}} & (8c) & \text{P III} \\
\mathbf{B}_{25} &= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3 = ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{26} &= - \left(x_4 - \frac{1}{2}\right) \mathbf{a}_1 - y_4 \mathbf{a}_2 + \left(z_4 + \frac{1}{2}\right) \mathbf{a}_3 = -a \left(x_4 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c \left(z_4 + \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{27} &= -x_4 \mathbf{a}_1 + \left(y_4 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_4 - \frac{1}{2}\right) \mathbf{a}_3 = -ax_4 \hat{\mathbf{x}} + b \left(y_4 + \frac{1}{2}\right) \hat{\mathbf{y}} - c \left(z_4 - \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{28} &= \left(x_4 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_4 - \frac{1}{2}\right) \mathbf{a}_2 - z_4 \mathbf{a}_3 = a \left(x_4 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_4 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{29} &= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3 = -ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{30} &= \left(x_4 + \frac{1}{2}\right) \mathbf{a}_1 + y_4 \mathbf{a}_2 - \left(z_4 - \frac{1}{2}\right) \mathbf{a}_3 = a \left(x_4 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} - c \left(z_4 - \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{31} &= x_4 \mathbf{a}_1 - \left(y_4 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_4 + \frac{1}{2}\right) \mathbf{a}_3 = ax_4 \hat{\mathbf{x}} - b \left(y_4 - \frac{1}{2}\right) \hat{\mathbf{y}} + c \left(z_4 + \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{32} &= - \left(x_4 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_4 + \frac{1}{2}\right) \mathbf{a}_2 + z_4 \mathbf{a}_3 = -a \left(x_4 - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_4 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}} & (8c) & \text{P IV} \\
\mathbf{B}_{33} &= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3 = ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} & (8c) & \text{Re I} \\
\mathbf{B}_{34} &= - \left(x_5 - \frac{1}{2}\right) \mathbf{a}_1 - y_5 \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3 = -a \left(x_5 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + c \left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{Re I} \\
\mathbf{B}_{35} &= -x_5 \mathbf{a}_1 + \left(y_5 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_5 - \frac{1}{2}\right) \mathbf{a}_3 = -ax_5 \hat{\mathbf{x}} + b \left(y_5 + \frac{1}{2}\right) \hat{\mathbf{y}} - c \left(z_5 - \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{Re I} \\
\mathbf{B}_{36} &= \left(x_5 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_5 - \frac{1}{2}\right) \mathbf{a}_2 - z_5 \mathbf{a}_3 = a \left(x_5 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_5 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (8c) & \text{Re I} \\
\mathbf{B}_{37} &= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 = -ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (8c) & \text{Re I} \\
\mathbf{B}_{38} &= \left(x_5 + \frac{1}{2}\right) \mathbf{a}_1 + y_5 \mathbf{a}_2 - \left(z_5 - \frac{1}{2}\right) \mathbf{a}_3 = a \left(x_5 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} - c \left(z_5 - \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{Re I} \\
\mathbf{B}_{39} &= x_5 \mathbf{a}_1 - \left(y_5 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3 = ax_5 \hat{\mathbf{x}} - b \left(y_5 - \frac{1}{2}\right) \hat{\mathbf{y}} + c \left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{Re I} \\
\mathbf{B}_{40} &= - \left(x_5 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_5 + \frac{1}{2}\right) \mathbf{a}_2 + z_5 \mathbf{a}_3 = -a \left(x_5 - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_5 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} & (8c) & \text{Re I}
\end{aligned}$$

References

- [1] W. Jeitschko and R. Rühl, *Synthesis and crystal structure of diamagnetic ReP_4 , a polyphosphide with Re-Re pairs*, Acta Crystallogr. Sect. B **35**, 1953–1958 (1979), doi:10.1107/S0567740879008232.

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.