


Trigonal Cr_5S_6 Structure: A5B6_hP22_163_abcf_i-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/Z6CB>

https://aflow.org/prototype-encyclopedia/A5B6_hP22_163_abcf_i-001




Prototype	Cr_5S_6
AFLOW prototype label	A5B6_hP22_163_abcf_i-001
ICSD	16719
CCDC	1597270

Pearson symbol	hP22
Space group number	163
Space group symbol	$P\bar{3}1c$
AFLOW prototype command	<code>aflow --proto=A5B6_hP22_163_abcf_i-001</code> <code>--params=a, c/a, z₄, x₅, y₅, z₅</code>

- (Jellinek, 1957) also has data for trigonal Cr₂S₃, which is generated from this structure by removing the Chromium atoms from the (2a) sites. (Venkatraman, 1990) lists the structure Cr₂S₃Cr, which is likely the same structure with possible vacancies on the (2a) sites. There is also a rhombohedral Cr₂S₃ structure found in both references.

Trigonal (Hexagonal) primitive vectors

$$\begin{aligned}
\mathbf{a}_1 &= \frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\
\mathbf{a}_2 &= \frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\
\mathbf{a}_3 &= c \hat{\mathbf{z}}
\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{4}c \hat{\mathbf{z}}$	(2a)	Cr I
$\mathbf{B}_2$	$= \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{3}{4}c \hat{\mathbf{z}}$	(2a)	Cr I
$\mathbf{B}_3$	$= 0$	$=$	0	(2b)	Cr II
$\mathbf{B}_4$	$= \frac{1}{2} \mathbf{a}_3$	$=$	$\frac{1}{2}c \hat{\mathbf{z}}$	(2b)	Cr II
$\mathbf{B}_5$	$= \frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(2c)	Cr III
$\mathbf{B}_6$	$= \frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(2c)	Cr III
$\mathbf{B}_7$	$= \frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(4f)	Cr IV
$\mathbf{B}_8$	$= \frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	Cr IV
$\mathbf{B}_9$	$= \frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(4f)	Cr IV
$\mathbf{B}_{10}$	$= \frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	Cr IV
$\mathbf{B}_{11}$	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(12i)	S I
$\mathbf{B}_{12}$	$= -y_5 \mathbf{a}_1 + (x_5 - y_5) \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_5 - 2y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(12i)	S I
$\mathbf{B}_{13}$	$= -(x_5 - y_5) \mathbf{a}_1 - x_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-\frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(12i)	S I
$\mathbf{B}_{14}$	$= -y_5 \mathbf{a}_1 - x_5 \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(12i)	S I
$\mathbf{B}_{15}$	$= -(x_5 - y_5) \mathbf{a}_1 + y_5 \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a(-x_5 + 2y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(12i)	S I
$\mathbf{B}_{16}$	$= x_5 \mathbf{a}_1 + (x_5 - y_5) \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(12i)	S I
$\mathbf{B}_{17}$	$= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$-\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}}$	(12i)	S I

$$\begin{aligned}
\mathbf{B}_{18} &= y_5 \mathbf{a}_1 - (x_5 - y_5) \mathbf{a}_2 - z_5 \mathbf{a}_3 &= \frac{1}{2}a(-x_5 + 2y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} &(12i) & \text{S I} \\
\mathbf{B}_{19} &= (x_5 - y_5) \mathbf{a}_1 + x_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 &= \frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} &(12i) & \text{S I} \\
\mathbf{B}_{20} &= y_5 \mathbf{a}_1 + x_5 \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3 &= \frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + &(12i) & \text{S I} \\
&&& c\left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}} \\
\mathbf{B}_{21} &= (x_5 - y_5) \mathbf{a}_1 - y_5 \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3 &= \frac{1}{2}a(x_5 - 2y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}} &(12i) & \text{S I} \\
\mathbf{B}_{22} &= -x_5 \mathbf{a}_1 - (x_5 - y_5) \mathbf{a}_2 + &= -\frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}} &(12i) & \text{S I} \\
&& \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3
\end{aligned}$$

References

- [1] F. Jellinek, *The Structures of the Chromium Sulphides*, Acta Cryst. **10**, 620–628 (1957), doi:10.1107/S0365110X57002200.
- [2] M. Venkatraman and J. P. Neumann, *Binary Alloy Phase Diagrams* (ASM International, 1990), vol. 2, chap. Cr-S (Chromium-Sulfur), ii edn. T. B. Massalski, Ed.

Found in

- [1] R. T. Downs and M. Hall-Wallace, *The American Mineralogist Crystal Structure Database*, Am. Mineral. **88**, 247–250 (2003).

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.