

Ce₇Pd₄Ge₂ Structure:


A7B2C4_mP52_14_7e_2e_4e-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/N56L>

https://aflow.org/prototype-encyclopedia/A7B2C4_mP52_14_7e_2e_4e-001



Prototype	Ce ₇ Ge ₂ Pd ₄
AFLOW prototype label	A7B2C4_mP52_14_7e_2e_4e-001
ICSD	106396
CCDC	1664225
Pearson symbol	mP52
Space group number	14
Space group symbol	$P2_1/c$
AFLOW prototype command	<pre>aflow --proto=A7B2C4_mP52_14_7e_2e_4e-001 --params=a, b/a, c/a, β, $x_1, y_1, z_1, x_2, y_2, z_2, x_3, y_3, z_3, x_4, y_4, z_4, x_5, y_5, z_5, x_6, y_6, z_6, x_7, y_7, z_7, x_8, y_8, z_8, x_9, y_9, z_9, x_{10}, y_{10}, z_{10}, x_{11}, y_{11}, z_{11}, x_{12}, y_{12}, z_{12}, x_{13}, y_{13}, z_{13}$</pre>


Other compounds with this structure

Pd₇Ge₄Co₂

- (Gribanov, 1993) give the structure in the $P2_1/n$ setting of space group #14. We used FINDSYM to transform this into the standard $P2_1/c$ setting. This resulted a rotation of the primitive cell and substantially different primitive vectors, although the crystal structure itself remains unchanged.

Simple Monoclinic primitive vectors

$$\begin{aligned} \mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \cos \beta \hat{\mathbf{x}} + c \sin \beta \hat{\mathbf{z}} \end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$(ax_1 + cz_1 \cos \beta) \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \sin \beta \hat{\mathbf{z}}$	(4e)	Co I
$\mathbf{B}_2$	$= -x_1 \mathbf{a}_1 + (y_1 + \frac{1}{2}) \mathbf{a}_2 - (z_1 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_1 + c(z_1 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_1 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_1 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co I
$\mathbf{B}_3$	$= -x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-(ax_1 + cz_1 \cos \beta) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} - cz_1 \sin \beta \hat{\mathbf{z}}$	(4e)	Co I
$\mathbf{B}_4$	$= x_1 \mathbf{a}_1 - (y_1 - \frac{1}{2}) \mathbf{a}_2 + (z_1 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_1 + c(z_1 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_1 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_1 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co I
$\mathbf{B}_5$	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$(ax_2 + cz_2 \cos \beta) \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \sin \beta \hat{\mathbf{z}}$	(4e)	Co II
$\mathbf{B}_6$	$= -x_2 \mathbf{a}_1 + (y_2 + \frac{1}{2}) \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_2 + c(z_2 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_2 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co II
$\mathbf{B}_7$	$= -x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-(ax_2 + cz_2 \cos \beta) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} - cz_2 \sin \beta \hat{\mathbf{z}}$	(4e)	Co II
$\mathbf{B}_8$	$= x_2 \mathbf{a}_1 - (y_2 - \frac{1}{2}) \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_2 + c(z_2 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_2 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co II
$\mathbf{B}_9$	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$(ax_3 + cz_3 \cos \beta) \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \sin \beta \hat{\mathbf{z}}$	(4e)	Co III
$\mathbf{B}_{10}$	$= -x_3 \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_3 + c(z_3 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co III
$\mathbf{B}_{11}$	$= -x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$-(ax_3 + cz_3 \cos \beta) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} - cz_3 \sin \beta \hat{\mathbf{z}}$	(4e)	Co III
$\mathbf{B}_{12}$	$= x_3 \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_3 + c(z_3 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co III
$\mathbf{B}_{13}$	$= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3$	$=$	$(ax_4 + cz_4 \cos \beta) \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \sin \beta \hat{\mathbf{z}}$	(4e)	Co IV
$\mathbf{B}_{14}$	$= -x_4 \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_4 + c(z_4 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co IV
$\mathbf{B}_{15}$	$= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3$	$=$	$-(ax_4 + cz_4 \cos \beta) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} - cz_4 \sin \beta \hat{\mathbf{z}}$	(4e)	Co IV
$\mathbf{B}_{16}$	$= x_4 \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_4 + c(z_4 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co IV
$\mathbf{B}_{17}$	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$(ax_5 + cz_5 \cos \beta) \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \sin \beta \hat{\mathbf{z}}$	(4e)	Co V
$\mathbf{B}_{18}$	$= -x_5 \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_5 + c(z_5 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co V
$\mathbf{B}_{19}$	$= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3$	$=$	$-(ax_5 + cz_5 \cos \beta) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} - cz_5 \sin \beta \hat{\mathbf{z}}$	(4e)	Co V

$\mathbf{B}_{20} =$	$x_5 \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_5 + c(z_5 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} -$ $b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co V
$\mathbf{B}_{21} =$	$x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3$	$=$	$(ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \sin \beta \hat{\mathbf{z}}$	(4e)	Co VI
$\mathbf{B}_{22} =$	$-x_6 \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 -$ $(z_6 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_6 + c(z_6 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} +$ $b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co VI
$\mathbf{B}_{23} =$	$-x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3$	$=$	$-(ax_6 + cz_6 \cos \beta) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \sin \beta \hat{\mathbf{z}}$	(4e)	Co VI
$\mathbf{B}_{24} =$	$x_6 \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_6 + c(z_6 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} -$ $b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co VI
$\mathbf{B}_{25} =$	$x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$(ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \sin \beta \hat{\mathbf{z}}$	(4e)	Co VII
$\mathbf{B}_{26} =$	$-x_7 \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 -$ $(z_7 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_7 + c(z_7 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} +$ $b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_7 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co VII
$\mathbf{B}_{27} =$	$-x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 - z_7 \mathbf{a}_3$	$=$	$-(ax_7 + cz_7 \cos \beta) \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} - cz_7 \sin \beta \hat{\mathbf{z}}$	(4e)	Co VII
$\mathbf{B}_{28} =$	$x_7 \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_7 + c(z_7 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} -$ $b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Co VII
$\mathbf{B}_{29} =$	$x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3$	$=$	$(ax_8 + cz_8 \cos \beta) \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \sin \beta \hat{\mathbf{z}}$	(4e)	Ge I
$\mathbf{B}_{30} =$	$-x_8 \mathbf{a}_1 + (y_8 + \frac{1}{2}) \mathbf{a}_2 -$ $(z_8 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_8 + c(z_8 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} +$ $b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_8 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ge I
$\mathbf{B}_{31} =$	$-x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 - z_8 \mathbf{a}_3$	$=$	$-(ax_8 + cz_8 \cos \beta) \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} - cz_8 \sin \beta \hat{\mathbf{z}}$	(4e)	Ge I
$\mathbf{B}_{32} =$	$x_8 \mathbf{a}_1 - (y_8 - \frac{1}{2}) \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_8 + c(z_8 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} -$ $b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ge I
$\mathbf{B}_{33} =$	$x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$(ax_9 + cz_9 \cos \beta) \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \sin \beta \hat{\mathbf{z}}$	(4e)	Ge II
$\mathbf{B}_{34} =$	$-x_9 \mathbf{a}_1 + (y_9 + \frac{1}{2}) \mathbf{a}_2 -$ $(z_9 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_9 + c(z_9 - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} +$ $b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_9 - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ge II
$\mathbf{B}_{35} =$	$-x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 - z_9 \mathbf{a}_3$	$=$	$-(ax_9 + cz_9 \cos \beta) \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} - cz_9 \sin \beta \hat{\mathbf{z}}$	(4e)	Ge II
$\mathbf{B}_{36} =$	$x_9 \mathbf{a}_1 - (y_9 - \frac{1}{2}) \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_9 + c(z_9 + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} -$ $b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Ge II
$\mathbf{B}_{37} =$	$x_{10} \mathbf{a}_1 + y_{10} \mathbf{a}_2 + z_{10} \mathbf{a}_3$	$=$	$(ax_{10} + cz_{10} \cos \beta) \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} + cz_{10} \sin \beta \hat{\mathbf{z}}$	(4e)	Pd I
$\mathbf{B}_{38} =$	$-x_{10} \mathbf{a}_1 + (y_{10} + \frac{1}{2}) \mathbf{a}_2 -$ $(z_{10} - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_{10} + c(z_{10} - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} +$ $b(y_{10} + \frac{1}{2}) \hat{\mathbf{y}} - c(z_{10} - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Pd I
$\mathbf{B}_{39} =$	$-x_{10} \mathbf{a}_1 - y_{10} \mathbf{a}_2 - z_{10} \mathbf{a}_3$	$=$	$-(ax_{10} + cz_{10} \cos \beta) \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} -$ $cz_{10} \sin \beta \hat{\mathbf{z}}$	(4e)	Pd I
$\mathbf{B}_{40} =$	$x_{10} \mathbf{a}_1 - (y_{10} - \frac{1}{2}) \mathbf{a}_2 +$ $(z_{10} + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_{10} + c(z_{10} + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} -$ $b(y_{10} - \frac{1}{2}) \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Pd I
$\mathbf{B}_{41} =$	$x_{11} \mathbf{a}_1 + y_{11} \mathbf{a}_2 + z_{11} \mathbf{a}_3$	$=$	$(ax_{11} + cz_{11} \cos \beta) \hat{\mathbf{x}} + by_{11} \hat{\mathbf{y}} + cz_{11} \sin \beta \hat{\mathbf{z}}$	(4e)	Pd II
$\mathbf{B}_{42} =$	$-x_{11} \mathbf{a}_1 + (y_{11} + \frac{1}{2}) \mathbf{a}_2 -$ $(z_{11} - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_{11} + c(z_{11} - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} +$ $b(y_{11} + \frac{1}{2}) \hat{\mathbf{y}} - c(z_{11} - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Pd II
$\mathbf{B}_{43} =$	$-x_{11} \mathbf{a}_1 - y_{11} \mathbf{a}_2 - z_{11} \mathbf{a}_3$	$=$	$-(ax_{11} + cz_{11} \cos \beta) \hat{\mathbf{x}} - by_{11} \hat{\mathbf{y}} -$ $cz_{11} \sin \beta \hat{\mathbf{z}}$	(4e)	Pd II
$\mathbf{B}_{44} =$	$x_{11} \mathbf{a}_1 - (y_{11} - \frac{1}{2}) \mathbf{a}_2 +$ $(z_{11} + \frac{1}{2}) \mathbf{a}_3$	$=$	$(ax_{11} + c(z_{11} + \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} -$ $b(y_{11} - \frac{1}{2}) \hat{\mathbf{y}} + c(z_{11} + \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Pd II
$\mathbf{B}_{45} =$	$x_{12} \mathbf{a}_1 + y_{12} \mathbf{a}_2 + z_{12} \mathbf{a}_3$	$=$	$(ax_{12} + cz_{12} \cos \beta) \hat{\mathbf{x}} + by_{12} \hat{\mathbf{y}} + cz_{12} \sin \beta \hat{\mathbf{z}}$	(4e)	Pd III
$\mathbf{B}_{46} =$	$-x_{12} \mathbf{a}_1 + (y_{12} + \frac{1}{2}) \mathbf{a}_2 -$ $(z_{12} - \frac{1}{2}) \mathbf{a}_3$	$=$	$-(ax_{12} + c(z_{12} - \frac{1}{2}) \cos \beta) \hat{\mathbf{x}} +$ $b(y_{12} + \frac{1}{2}) \hat{\mathbf{y}} - c(z_{12} - \frac{1}{2}) \sin \beta \hat{\mathbf{z}}$	(4e)	Pd III
$\mathbf{B}_{47} =$	$-x_{12} \mathbf{a}_1 - y_{12} \mathbf{a}_2 - z_{12} \mathbf{a}_3$	$=$	$-(ax_{12} + cz_{12} \cos \beta) \hat{\mathbf{x}} - by_{12} \hat{\mathbf{y}} -$ $cz_{12} \sin \beta \hat{\mathbf{z}}$	(4e)	Pd III

$$\begin{aligned}
\mathbf{B}_{48} &= x_{12} \mathbf{a}_1 - \left(y_{12} - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_{12} + \frac{1}{2}\right) \mathbf{a}_3 &= \begin{pmatrix} ax_{12} + c \left(z_{12} + \frac{1}{2}\right) \cos \beta \\ b \left(y_{12} - \frac{1}{2}\right) \hat{\mathbf{y}} + c \left(z_{12} + \frac{1}{2}\right) \sin \beta \end{pmatrix} \hat{\mathbf{z}} & (4e) & \text{Pd III} \\
\mathbf{B}_{49} &= x_{13} \mathbf{a}_1 + y_{13} \mathbf{a}_2 + z_{13} \mathbf{a}_3 &= (ax_{13} + cz_{13} \cos \beta) \hat{\mathbf{x}} + by_{13} \hat{\mathbf{y}} + cz_{13} \sin \beta \hat{\mathbf{z}} & (4e) & \text{Pd IV} \\
\mathbf{B}_{50} &= -x_{13} \mathbf{a}_1 + \left(y_{13} + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_{13} - \frac{1}{2}\right) \mathbf{a}_3 &= \begin{pmatrix} - (ax_{13} + c \left(z_{13} - \frac{1}{2}\right) \cos \beta) \\ b \left(y_{13} + \frac{1}{2}\right) \hat{\mathbf{y}} - c \left(z_{13} - \frac{1}{2}\right) \sin \beta \end{pmatrix} \hat{\mathbf{z}} & (4e) & \text{Pd IV} \\
\mathbf{B}_{51} &= -x_{13} \mathbf{a}_1 - y_{13} \mathbf{a}_2 - z_{13} \mathbf{a}_3 &= \begin{pmatrix} - (ax_{13} + cz_{13} \cos \beta) \\ -by_{13} \hat{\mathbf{y}} - cz_{13} \sin \beta \end{pmatrix} \hat{\mathbf{z}} & (4e) & \text{Pd IV} \\
\mathbf{B}_{52} &= x_{13} \mathbf{a}_1 - \left(y_{13} - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_{13} + \frac{1}{2}\right) \mathbf{a}_3 &= \begin{pmatrix} ax_{13} + c \left(z_{13} + \frac{1}{2}\right) \cos \beta \\ b \left(y_{13} - \frac{1}{2}\right) \hat{\mathbf{y}} + c \left(z_{13} + \frac{1}{2}\right) \sin \beta \end{pmatrix} \hat{\mathbf{z}} & (4e) & \text{Pd IV}
\end{aligned}$$

References

- [1] A. V. Gribov, Y. D. Seropegin, O. I. Bodak, V. V. Pavlyuk, V. K. Pecharsky, O. L. Sologub, and P. S. Salamakha, *Crystal structure of the compound $Ce_7Pd_4Ge_2$* , J. Alloys Compd. **198**, 39–42 (1993), doi:10.1016/0925-8388(93)90140-I.

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.