

K₃W₂Cl₉ (*K*7₁) Structure: A9B3C2_hP28_176_hi_af_f-001


This structure previously used the label(s) **A9B3C2_hP28_176_hi_af_f**. Calls to these addresses will be redirected here.

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/XV4Y>

https://aflow.org/prototype-encyclopedia/A9B3C2_hP28_176_hi_af_f-001



Prototype	Cl ₉ K ₃ W ₂
AFLOW prototype label	A9B3C2_hP28_176_hi_af_f-001
<i>Strukturbericht</i> designation	<i>K</i> 7 ₁
ICSD	16760
CCDC	1597309
Pearson symbol	hP28

Space group number 176

Space group symbol $P6_3/m$


AFLOW prototype command `aflow --proto=A9B3C2_hP28_176_hi_af_f-001`
`--params=a, c/a, z2, z3, x4, y4, x5, y5, z5`

Other compounds with this structure

K₃Ti₂Cl₉, Rb₃Ti₂Cl₉, K₃Mo₂Br₉, K₃Ti₂Br₉, Rb₃Os₂Br₉

Hexagonal primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= \frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\ \mathbf{a}_2 &= \frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{4}c \hat{\mathbf{z}}$	(2a)	K I
$\mathbf{B}_2$	$= \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{3}{4}c \hat{\mathbf{z}}$	(2a)	K I
$\mathbf{B}_3$	$= \frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(4f)	K II
$\mathbf{B}_4$	$= \frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 + (z_2 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + c(z_2 + \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	K II
$\mathbf{B}_5$	$= \frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(4f)	K II
$\mathbf{B}_6$	$= \frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 - (z_2 - \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - c(z_2 - \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	K II
$\mathbf{B}_7$	$= \frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(4f)	W I
$\mathbf{B}_8$	$= \frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	W I
$\mathbf{B}_9$	$= \frac{2}{3} \mathbf{a}_1 + \frac{1}{3} \mathbf{a}_2 - z_3 \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(4f)	W I
$\mathbf{B}_{10}$	$= \frac{1}{3} \mathbf{a}_1 + \frac{2}{3} \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a \hat{\mathbf{x}} + \frac{\sqrt{3}}{6}a \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \hat{\mathbf{z}}$	(4f)	W I
$\mathbf{B}_{11}$	$= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_4 + y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_4 - y_4) \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	Cl I
$\mathbf{B}_{12}$	$= -y_4 \mathbf{a}_1 + (x_4 - y_4) \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_4 - 2y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	Cl I
$\mathbf{B}_{13}$	$= -(x_4 - y_4) \mathbf{a}_1 - x_4 \mathbf{a}_2 + \frac{1}{4} \mathbf{a}_3$	$=$	$-\frac{1}{2}a(2x_4 - y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_4 \hat{\mathbf{y}} + \frac{1}{4}c \hat{\mathbf{z}}$	(6h)	Cl I
$\mathbf{B}_{14}$	$= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$-\frac{1}{2}a(x_4 + y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_4 - y_4) \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(6h)	Cl I
$\mathbf{B}_{15}$	$= y_4 \mathbf{a}_1 - (x_4 - y_4) \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(-x_4 + 2y_4) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_4 \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(6h)	Cl I
$\mathbf{B}_{16}$	$= (x_4 - y_4) \mathbf{a}_1 + x_4 \mathbf{a}_2 + \frac{3}{4} \mathbf{a}_3$	$=$	$\frac{1}{2}a(2x_4 - y_4) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_4 \hat{\mathbf{y}} + \frac{3}{4}c \hat{\mathbf{z}}$	(6h)	Cl I
$\mathbf{B}_{17}$	$= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(12i)	Cl II
$\mathbf{B}_{18}$	$= -y_5 \mathbf{a}_1 + (x_5 - y_5) \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$\frac{1}{2}a(x_5 - 2y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(12i)	Cl II
$\mathbf{B}_{19}$	$= -(x_5 - y_5) \mathbf{a}_1 - x_5 \mathbf{a}_2 + z_5 \mathbf{a}_3$	$=$	$-\frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(12i)	Cl II
$\mathbf{B}_{20}$	$= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(12i)	Cl II
$\mathbf{B}_{21}$	$= y_5 \mathbf{a}_1 - (x_5 - y_5) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3$	$=$	$\frac{1}{2}a(-x_5 + 2y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(12i)	Cl II

$$\begin{aligned}
\mathbf{B}_{22} &= (x_5 - y_5) \mathbf{a}_1 + x_5 \mathbf{a}_2 + \left(z_5 + \frac{1}{2}\right) \mathbf{a}_3 = \frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} + c\left(z_5 + \frac{1}{2}\right) \hat{\mathbf{z}} & (12i) & \text{Cl II} \\
\mathbf{B}_{23} &= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 = -\frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (12i) & \text{Cl II} \\
\mathbf{B}_{24} &= y_5 \mathbf{a}_1 - (x_5 - y_5) \mathbf{a}_2 - z_5 \mathbf{a}_3 = \frac{1}{2}a(-x_5 + 2y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (12i) & \text{Cl II} \\
\mathbf{B}_{25} &= (x_5 - y_5) \mathbf{a}_1 + x_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 = \frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (12i) & \text{Cl II} \\
\mathbf{B}_{26} &= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 - \left(z_5 - \frac{1}{2}\right) \mathbf{a}_3 = \frac{1}{2}a(x_5 + y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}a(x_5 - y_5) \hat{\mathbf{y}} - c\left(z_5 - \frac{1}{2}\right) \hat{\mathbf{z}} & (12i) & \text{Cl II} \\
\mathbf{B}_{27} &= -y_5 \mathbf{a}_1 + (x_5 - y_5) \mathbf{a}_2 - \left(z_5 - \frac{1}{2}\right) \mathbf{a}_3 = \frac{1}{2}a(x_5 - 2y_5) \hat{\mathbf{x}} + \frac{\sqrt{3}}{2}ax_5 \hat{\mathbf{y}} - c\left(z_5 - \frac{1}{2}\right) \hat{\mathbf{z}} & (12i) & \text{Cl II} \\
\mathbf{B}_{28} &= -(x_5 - y_5) \mathbf{a}_1 - x_5 \mathbf{a}_2 - \left(z_5 - \frac{1}{2}\right) \mathbf{a}_3 = -\frac{1}{2}a(2x_5 - y_5) \hat{\mathbf{x}} - \frac{\sqrt{3}}{2}ay_5 \hat{\mathbf{y}} - c\left(z_5 - \frac{1}{2}\right) \hat{\mathbf{z}} & (12i) & \text{Cl II}
\end{aligned}$$

References

- [1] J. W. H. Watson and J. Waser, *Refinement of the structure of tripotassiumditungsten enneachloride, $K_3W_2Cl_9$* , Acta Cryst. **11**, 689–692 (1958), doi:10.1107/S0365110X58001869.

First cited in

D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.