

Tl₃AsS₃ Structure:


AB3C3_oP56_61_c_3c_3c-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettl, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/233Q>

https://aflow.org/prototype-encyclopedia/AB3C3_oP56_61_c_3c_3c-001




Prototype	AsS ₃ Tl ₃
AFLOW prototype label	AB3C3_oP56_61_c_3c_3c-001
ICSD	79580
CCDC	1639826
Pearson symbol	oP56
Space group number	61
Space group symbol	<i>Pbca</i>

AFLOW prototype command aflow --proto=AB3C3_oP56_61_c_3c_3c-001
 --params= $a, b/a, c/a, x_1, y_1, z_1, x_2, y_2, z_2, x_3, y_3, z_3, x_4, y_4, z_4, x_5, y_5, z_5, x_6, y_6, z_6, x_7, y_7, z_7$

Simple Orthorhombic primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= a \hat{\mathbf{x}} \\ \mathbf{a}_2 &= b \hat{\mathbf{y}} \\ \mathbf{a}_3 &= c \hat{\mathbf{z}}\end{aligned}$$

$\mathbf{a}_1$
 $\mathbf{a}_2$
 $\mathbf{a}_3$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_2$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 - y_1 \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_3$	$= -x_1 \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_4$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_5$	$= -x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_6$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 + y_1 \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_7$	$= x_1 \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_8$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	As I
$\mathbf{B}_9$	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{10}$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 - y_2 \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{11}$	$= -x_2 \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{12}$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{13}$	$= -x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{14}$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 + y_2 \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{15}$	$= x_2 \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{16}$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	S I
$\mathbf{B}_{17}$	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(8c)	S II
$\mathbf{B}_{18}$	$= -\left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 - y_3 \mathbf{a}_2 + \left(z_3 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c\left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	S II
$\mathbf{B}_{19}$	$= -x_3 \mathbf{a}_1 + \left(y_3 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_3 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + b\left(y_3 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	S II

$\mathbf{B}_{20} =$	$(x_3 + \frac{1}{2}) \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 - z_3 \mathbf{a}_3 =$	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(8c)	S II
$\mathbf{B}_{21} =$	$-x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3 =$	$-ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}}$	(8c)	S II
$\mathbf{B}_{22} =$	$(x_3 + \frac{1}{2}) \mathbf{a}_1 + y_3 \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3 =$	$a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	S II
$\mathbf{B}_{23} =$	$x_3 \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3 =$	$ax_3 \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	S II
$\mathbf{B}_{24} =$	$-(x_3 - \frac{1}{2}) \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3 =$	$-a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(8c)	S II
$\mathbf{B}_{25} =$	$x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3 =$	$ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{26} =$	$-(x_4 - \frac{1}{2}) \mathbf{a}_1 - y_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3 =$	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{27} =$	$-x_4 \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3 =$	$-ax_4 \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{28} =$	$(x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 - z_4 \mathbf{a}_3 =$	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{29} =$	$-x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3 =$	$-ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{30} =$	$(x_4 + \frac{1}{2}) \mathbf{a}_1 + y_4 \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3 =$	$a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{31} =$	$x_4 \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3 =$	$ax_4 \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{32} =$	$-(x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3 =$	$-a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}}$	(8c)	S III
$\mathbf{B}_{33} =$	$x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3 =$	$ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{34} =$	$-(x_5 - \frac{1}{2}) \mathbf{a}_1 - y_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3 =$	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{35} =$	$-x_5 \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3 =$	$-ax_5 \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{36} =$	$(x_5 + \frac{1}{2}) \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 - z_5 \mathbf{a}_3 =$	$a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{37} =$	$-x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 =$	$-ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{38} =$	$(x_5 + \frac{1}{2}) \mathbf{a}_1 + y_5 \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3 =$	$a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{39} =$	$x_5 \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3 =$	$ax_5 \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{40} =$	$-(x_5 - \frac{1}{2}) \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3 =$	$-a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}}$	(8c)	Tl I
$\mathbf{B}_{41} =$	$x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 =$	$ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{42} =$	$-(x_6 - \frac{1}{2}) \mathbf{a}_1 - y_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 =$	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{43} =$	$-x_6 \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3 =$	$-ax_6 \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{44} =$	$(x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 - z_6 \mathbf{a}_3 =$	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{45} =$	$-x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3 =$	$-ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{46} =$	$(x_6 + \frac{1}{2}) \mathbf{a}_1 + y_6 \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3 =$	$a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{47} =$	$x_6 \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 =$	$ax_6 \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{48} =$	$-(x_6 - \frac{1}{2}) \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3 =$	$-a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}}$	(8c)	Tl II
$\mathbf{B}_{49} =$	$x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 =$	$ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(8c)	Tl III
$\mathbf{B}_{50} =$	$-(x_7 - \frac{1}{2}) \mathbf{a}_1 - y_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3 =$	$-a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl III
$\mathbf{B}_{51} =$	$-x_7 \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 - (z_7 - \frac{1}{2}) \mathbf{a}_3 =$	$-ax_7 \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_7 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Tl III

$$\begin{aligned}
\mathbf{B}_{52} &= \left(x_7 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_7 - \frac{1}{2}\right) \mathbf{a}_2 - z_7 \mathbf{a}_3 &= a \left(x_7 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_7 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_7 \hat{\mathbf{z}} &(8c) & \text{Tl III} \\
\mathbf{B}_{53} &= -x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 - z_7 \mathbf{a}_3 &= -ax_7 \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} - cz_7 \hat{\mathbf{z}} &(8c) & \text{Tl III} \\
\mathbf{B}_{54} &= \left(x_7 + \frac{1}{2}\right) \mathbf{a}_1 + y_7 \mathbf{a}_2 - \left(z_7 - \frac{1}{2}\right) \mathbf{a}_3 &= a \left(x_7 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} - c \left(z_7 - \frac{1}{2}\right) \hat{\mathbf{z}} &(8c) & \text{Tl III} \\
\mathbf{B}_{55} &= x_7 \mathbf{a}_1 - \left(y_7 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_7 + \frac{1}{2}\right) \mathbf{a}_3 &= ax_7 \hat{\mathbf{x}} - b \left(y_7 - \frac{1}{2}\right) \hat{\mathbf{y}} + c \left(z_7 + \frac{1}{2}\right) \hat{\mathbf{z}} &(8c) & \text{Tl III} \\
\mathbf{B}_{56} &= -\left(x_7 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_7 + \frac{1}{2}\right) \mathbf{a}_2 + z_7 \mathbf{a}_3 &= -a \left(x_7 - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_7 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} &(8c) & \text{Tl III}
\end{aligned}$$

References

- [1] Z.-M. Yang and F. Pertlik, *The thallium sulfarsenites Tl_3AsS_3 and TlAsS_2 [thallium(I) thioarsenates(III)]: structural characterization and syntheses*, J. Alloys Compd. **216**, 155–158 (1994), doi:10.1016/0925-8388(94)91058-8.

Found in

- [1] P. Villars, H. Okamoto, and K. Cenzual, eds., *ASM Alloy Phase Diagram Database* (ASM International, 2018), chap. Arsenic-Sulfur-Thallium Ternary, Isothermal Section (1994 Perrot P.). Copyright ©2006-2018 ASM International.

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.