

CuMo₃I₇ Structure:


AB7C3_oP88_61_c_7c_3c-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/WLBF>

https://aflow.org/prototype-encyclopedia/AB7C3_oP88_61_c_7c_3c-001



Prototype	CuI ₇ Mo ₃
AFLOW prototype label	AB7C3_oP88_61_c_7c_3c-001
ICSD	404377
CCDC	1725072
Pearson symbol	oP88
Space group number	61
Space group symbol	<i>Pbca</i>


AFLOW prototype command `aflow --proto=AB7C3_oP88_61_c_7c_3c-001`
 `--params=a, b/a, c/a, x1, y1, z1, x2, y2, z2, x3, y3, z3, x4, y4, z4, x5, y5, z5, x6, y6, z6, x7, y7, z7, x8, y8, z8, x9, y9, z9, x10, y10, z10, x11, y11, z11`

Simple Orthorhombic primitive vectors

$$\mathbf{a}_1 = a \hat{\mathbf{x}}$$

$$\mathbf{a}_2 = b \hat{\mathbf{y}}$$

$$\mathbf{a}_3 = c \hat{\mathbf{z}}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates		Wyckoff position	Atom type
$\mathbf{B}_1$	$=$	$x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_2$	$=$	$-\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 - y_1 \mathbf{a}_2 +$ $\left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_3$	$=$	$-x_1 \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 -$ $\left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_4$	$=$	$\left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_5$	$=$	$-x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_6$	$=$	$\left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 + y_1 \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_7$	$=$	$x_1 \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_8$	$=$	$-\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 +$ $z_1 \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	Cu I
$\mathbf{B}_9$	$=$	$x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{10}$	$=$	$-\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 - y_2 \mathbf{a}_2 +$ $\left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{11}$	$=$	$-x_2 \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 -$ $\left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{12}$	$=$	$\left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{13}$	$=$	$-x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{14}$	$=$	$\left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 + y_2 \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{15}$	$=$	$x_2 \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{16}$	$=$	$-\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 +$ $z_2 \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	I I
$\mathbf{B}_{17}$	$=$	$x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(8c)	I II
$\mathbf{B}_{18}$	$=$	$-\left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 - y_3 \mathbf{a}_2 +$ $\left(z_3 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c\left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	I II
$\mathbf{B}_{19}$	$=$	$-x_3 \mathbf{a}_1 + \left(y_3 + \frac{1}{2}\right) \mathbf{a}_2 -$ $\left(z_3 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + b\left(y_3 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	I II

$$\begin{aligned}
\mathbf{B}_{20} &= (x_3 + \frac{1}{2}) \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 - z_3 \mathbf{a}_3 = a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}} & (8c) & \text{I II} \\
\mathbf{B}_{21} &= -x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3 = -ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}} & (8c) & \text{I II} \\
\mathbf{B}_{22} &= (x_3 + \frac{1}{2}) \mathbf{a}_1 + y_3 \mathbf{a}_2 - (z_3 - \frac{1}{2}) \mathbf{a}_3 = a(x_3 + \frac{1}{2}) \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} - c(z_3 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I II} \\
\mathbf{B}_{23} &= x_3 \mathbf{a}_1 - (y_3 - \frac{1}{2}) \mathbf{a}_2 + (z_3 + \frac{1}{2}) \mathbf{a}_3 = ax_3 \hat{\mathbf{x}} - b(y_3 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_3 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I II} \\
\mathbf{B}_{24} &= -(x_3 - \frac{1}{2}) \mathbf{a}_1 + (y_3 + \frac{1}{2}) \mathbf{a}_2 + z_3 \mathbf{a}_3 = -a(x_3 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_3 + \frac{1}{2}) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}} & (8c) & \text{I II} \\
\mathbf{B}_{25} &= x_4 \mathbf{a}_1 + y_4 \mathbf{a}_2 + z_4 \mathbf{a}_3 = ax_4 \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{26} &= -(x_4 - \frac{1}{2}) \mathbf{a}_1 - y_4 \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3 = -a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{27} &= -x_4 \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3 = -ax_4 \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{28} &= (x_4 + \frac{1}{2}) \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 - z_4 \mathbf{a}_3 = a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{29} &= -x_4 \mathbf{a}_1 - y_4 \mathbf{a}_2 - z_4 \mathbf{a}_3 = -ax_4 \hat{\mathbf{x}} - by_4 \hat{\mathbf{y}} - cz_4 \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{30} &= (x_4 + \frac{1}{2}) \mathbf{a}_1 + y_4 \mathbf{a}_2 - (z_4 - \frac{1}{2}) \mathbf{a}_3 = a(x_4 + \frac{1}{2}) \hat{\mathbf{x}} + by_4 \hat{\mathbf{y}} - c(z_4 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{31} &= x_4 \mathbf{a}_1 - (y_4 - \frac{1}{2}) \mathbf{a}_2 + (z_4 + \frac{1}{2}) \mathbf{a}_3 = ax_4 \hat{\mathbf{x}} - b(y_4 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_4 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{32} &= -(x_4 - \frac{1}{2}) \mathbf{a}_1 + (y_4 + \frac{1}{2}) \mathbf{a}_2 + z_4 \mathbf{a}_3 = -a(x_4 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_4 + \frac{1}{2}) \hat{\mathbf{y}} + cz_4 \hat{\mathbf{z}} & (8c) & \text{I III} \\
\mathbf{B}_{33} &= x_5 \mathbf{a}_1 + y_5 \mathbf{a}_2 + z_5 \mathbf{a}_3 = ax_5 \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{34} &= -(x_5 - \frac{1}{2}) \mathbf{a}_1 - y_5 \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3 = -a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{35} &= -x_5 \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3 = -ax_5 \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{36} &= (x_5 + \frac{1}{2}) \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 - z_5 \mathbf{a}_3 = a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{37} &= -x_5 \mathbf{a}_1 - y_5 \mathbf{a}_2 - z_5 \mathbf{a}_3 = -ax_5 \hat{\mathbf{x}} - by_5 \hat{\mathbf{y}} - cz_5 \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{38} &= (x_5 + \frac{1}{2}) \mathbf{a}_1 + y_5 \mathbf{a}_2 - (z_5 - \frac{1}{2}) \mathbf{a}_3 = a(x_5 + \frac{1}{2}) \hat{\mathbf{x}} + by_5 \hat{\mathbf{y}} - c(z_5 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{39} &= x_5 \mathbf{a}_1 - (y_5 - \frac{1}{2}) \mathbf{a}_2 + (z_5 + \frac{1}{2}) \mathbf{a}_3 = ax_5 \hat{\mathbf{x}} - b(y_5 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_5 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{40} &= -(x_5 - \frac{1}{2}) \mathbf{a}_1 + (y_5 + \frac{1}{2}) \mathbf{a}_2 + z_5 \mathbf{a}_3 = -a(x_5 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_5 + \frac{1}{2}) \hat{\mathbf{y}} + cz_5 \hat{\mathbf{z}} & (8c) & \text{I IV} \\
\mathbf{B}_{41} &= x_6 \mathbf{a}_1 + y_6 \mathbf{a}_2 + z_6 \mathbf{a}_3 = ax_6 \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{42} &= -(x_6 - \frac{1}{2}) \mathbf{a}_1 - y_6 \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 = -a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{43} &= -x_6 \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3 = -ax_6 \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{44} &= (x_6 + \frac{1}{2}) \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 - z_6 \mathbf{a}_3 = a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{45} &= -x_6 \mathbf{a}_1 - y_6 \mathbf{a}_2 - z_6 \mathbf{a}_3 = -ax_6 \hat{\mathbf{x}} - by_6 \hat{\mathbf{y}} - cz_6 \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{46} &= (x_6 + \frac{1}{2}) \mathbf{a}_1 + y_6 \mathbf{a}_2 - (z_6 - \frac{1}{2}) \mathbf{a}_3 = a(x_6 + \frac{1}{2}) \hat{\mathbf{x}} + by_6 \hat{\mathbf{y}} - c(z_6 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{47} &= x_6 \mathbf{a}_1 - (y_6 - \frac{1}{2}) \mathbf{a}_2 + (z_6 + \frac{1}{2}) \mathbf{a}_3 = ax_6 \hat{\mathbf{x}} - b(y_6 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_6 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{48} &= -(x_6 - \frac{1}{2}) \mathbf{a}_1 + (y_6 + \frac{1}{2}) \mathbf{a}_2 + z_6 \mathbf{a}_3 = -a(x_6 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_6 + \frac{1}{2}) \hat{\mathbf{y}} + cz_6 \hat{\mathbf{z}} & (8c) & \text{I V} \\
\mathbf{B}_{49} &= x_7 \mathbf{a}_1 + y_7 \mathbf{a}_2 + z_7 \mathbf{a}_3 = ax_7 \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}} & (8c) & \text{I VI} \\
\mathbf{B}_{50} &= -(x_7 - \frac{1}{2}) \mathbf{a}_1 - y_7 \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3 = -a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I VI} \\
\mathbf{B}_{51} &= -x_7 \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 - (z_7 - \frac{1}{2}) \mathbf{a}_3 = -ax_7 \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_7 - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{I VI}
\end{aligned}$$

$\mathbf{B}_{52} =$	$(x_7 + \frac{1}{2}) \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 - z_7 \mathbf{a}_3$	$=$	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} - cz_7 \hat{\mathbf{z}}$	(8c)	I VI
$\mathbf{B}_{53} =$	$-x_7 \mathbf{a}_1 - y_7 \mathbf{a}_2 - z_7 \mathbf{a}_3$	$=$	$-ax_7 \hat{\mathbf{x}} - by_7 \hat{\mathbf{y}} - cz_7 \hat{\mathbf{z}}$	(8c)	I VI
$\mathbf{B}_{54} =$	$(x_7 + \frac{1}{2}) \mathbf{a}_1 + y_7 \mathbf{a}_2 - (z_7 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_7 + \frac{1}{2}) \hat{\mathbf{x}} + by_7 \hat{\mathbf{y}} - c(z_7 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	I VI
$\mathbf{B}_{55} =$	$x_7 \mathbf{a}_1 - (y_7 - \frac{1}{2}) \mathbf{a}_2 + (z_7 + \frac{1}{2}) \mathbf{a}_3$	$=$	$ax_7 \hat{\mathbf{x}} - b(y_7 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_7 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	I VI
$\mathbf{B}_{56} =$	$-(x_7 - \frac{1}{2}) \mathbf{a}_1 + (y_7 + \frac{1}{2}) \mathbf{a}_2 + z_7 \mathbf{a}_3$	$=$	$-a(x_7 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_7 + \frac{1}{2}) \hat{\mathbf{y}} + cz_7 \hat{\mathbf{z}}$	(8c)	I VI
$\mathbf{B}_{57} =$	$x_8 \mathbf{a}_1 + y_8 \mathbf{a}_2 + z_8 \mathbf{a}_3$	$=$	$ax_8 \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{58} =$	$-(x_8 - \frac{1}{2}) \mathbf{a}_1 - y_8 \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_8 - \frac{1}{2}) \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{59} =$	$-x_8 \mathbf{a}_1 + (y_8 + \frac{1}{2}) \mathbf{a}_2 - (z_8 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-ax_8 \hat{\mathbf{x}} + b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_8 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{60} =$	$(x_8 + \frac{1}{2}) \mathbf{a}_1 - (y_8 - \frac{1}{2}) \mathbf{a}_2 - z_8 \mathbf{a}_3$	$=$	$a(x_8 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} - cz_8 \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{61} =$	$-x_8 \mathbf{a}_1 - y_8 \mathbf{a}_2 - z_8 \mathbf{a}_3$	$=$	$-ax_8 \hat{\mathbf{x}} - by_8 \hat{\mathbf{y}} - cz_8 \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{62} =$	$(x_8 + \frac{1}{2}) \mathbf{a}_1 + y_8 \mathbf{a}_2 - (z_8 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_8 + \frac{1}{2}) \hat{\mathbf{x}} + by_8 \hat{\mathbf{y}} - c(z_8 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{63} =$	$x_8 \mathbf{a}_1 - (y_8 - \frac{1}{2}) \mathbf{a}_2 + (z_8 + \frac{1}{2}) \mathbf{a}_3$	$=$	$ax_8 \hat{\mathbf{x}} - b(y_8 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_8 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{64} =$	$-(x_8 - \frac{1}{2}) \mathbf{a}_1 + (y_8 + \frac{1}{2}) \mathbf{a}_2 + z_8 \mathbf{a}_3$	$=$	$-a(x_8 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_8 + \frac{1}{2}) \hat{\mathbf{y}} + cz_8 \hat{\mathbf{z}}$	(8c)	I VII
$\mathbf{B}_{65} =$	$x_9 \mathbf{a}_1 + y_9 \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$ax_9 \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{66} =$	$-(x_9 - \frac{1}{2}) \mathbf{a}_1 - y_9 \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_9 - \frac{1}{2}) \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{67} =$	$-x_9 \mathbf{a}_1 + (y_9 + \frac{1}{2}) \mathbf{a}_2 - (z_9 - \frac{1}{2}) \mathbf{a}_3$	$=$	$-ax_9 \hat{\mathbf{x}} + b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} - c(z_9 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{68} =$	$(x_9 + \frac{1}{2}) \mathbf{a}_1 - (y_9 - \frac{1}{2}) \mathbf{a}_2 - z_9 \mathbf{a}_3$	$=$	$a(x_9 + \frac{1}{2}) \hat{\mathbf{x}} - b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} - cz_9 \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{69} =$	$-x_9 \mathbf{a}_1 - y_9 \mathbf{a}_2 - z_9 \mathbf{a}_3$	$=$	$-ax_9 \hat{\mathbf{x}} - by_9 \hat{\mathbf{y}} - cz_9 \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{70} =$	$(x_9 + \frac{1}{2}) \mathbf{a}_1 + y_9 \mathbf{a}_2 - (z_9 - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_9 + \frac{1}{2}) \hat{\mathbf{x}} + by_9 \hat{\mathbf{y}} - c(z_9 - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{71} =$	$x_9 \mathbf{a}_1 - (y_9 - \frac{1}{2}) \mathbf{a}_2 + (z_9 + \frac{1}{2}) \mathbf{a}_3$	$=$	$ax_9 \hat{\mathbf{x}} - b(y_9 - \frac{1}{2}) \hat{\mathbf{y}} + c(z_9 + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{72} =$	$-(x_9 - \frac{1}{2}) \mathbf{a}_1 + (y_9 + \frac{1}{2}) \mathbf{a}_2 + z_9 \mathbf{a}_3$	$=$	$-a(x_9 - \frac{1}{2}) \hat{\mathbf{x}} + b(y_9 + \frac{1}{2}) \hat{\mathbf{y}} + cz_9 \hat{\mathbf{z}}$	(8c)	Mo I
$\mathbf{B}_{73} =$	$x_{10} \mathbf{a}_1 + y_{10} \mathbf{a}_2 + z_{10} \mathbf{a}_3$	$=$	$ax_{10} \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{74} =$	$-(x_{10} - \frac{1}{2}) \mathbf{a}_1 - y_{10} \mathbf{a}_2 + (z_{10} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_{10} - \frac{1}{2}) \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{75} =$	$-x_{10} \mathbf{a}_1 + (y_{10} + \frac{1}{2}) \mathbf{a}_2 - (z_{10} - \frac{1}{2}) \mathbf{a}_3$	$=$	$-ax_{10} \hat{\mathbf{x}} + b(y_{10} + \frac{1}{2}) \hat{\mathbf{y}} - c(z_{10} - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{76} =$	$(x_{10} + \frac{1}{2}) \mathbf{a}_1 - (y_{10} - \frac{1}{2}) \mathbf{a}_2 - z_{10} \mathbf{a}_3$	$=$	$a(x_{10} + \frac{1}{2}) \hat{\mathbf{x}} - b(y_{10} - \frac{1}{2}) \hat{\mathbf{y}} - cz_{10} \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{77} =$	$-x_{10} \mathbf{a}_1 - y_{10} \mathbf{a}_2 - z_{10} \mathbf{a}_3$	$=$	$-ax_{10} \hat{\mathbf{x}} - by_{10} \hat{\mathbf{y}} - cz_{10} \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{78} =$	$(x_{10} + \frac{1}{2}) \mathbf{a}_1 + y_{10} \mathbf{a}_2 - (z_{10} - \frac{1}{2}) \mathbf{a}_3$	$=$	$a(x_{10} + \frac{1}{2}) \hat{\mathbf{x}} + by_{10} \hat{\mathbf{y}} - c(z_{10} - \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{79} =$	$x_{10} \mathbf{a}_1 - (y_{10} - \frac{1}{2}) \mathbf{a}_2 + (z_{10} + \frac{1}{2}) \mathbf{a}_3$	$=$	$ax_{10} \hat{\mathbf{x}} - b(y_{10} - \frac{1}{2}) \hat{\mathbf{y}} + c(z_{10} + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{80} =$	$-(x_{10} - \frac{1}{2}) \mathbf{a}_1 + (y_{10} + \frac{1}{2}) \mathbf{a}_2 + z_{10} \mathbf{a}_3$	$=$	$-a(x_{10} - \frac{1}{2}) \hat{\mathbf{x}} + b(y_{10} + \frac{1}{2}) \hat{\mathbf{y}} + cz_{10} \hat{\mathbf{z}}$	(8c)	Mo II
$\mathbf{B}_{81} =$	$x_{11} \mathbf{a}_1 + y_{11} \mathbf{a}_2 + z_{11} \mathbf{a}_3$	$=$	$ax_{11} \hat{\mathbf{x}} + by_{11} \hat{\mathbf{y}} + cz_{11} \hat{\mathbf{z}}$	(8c)	Mo III
$\mathbf{B}_{82} =$	$-(x_{11} - \frac{1}{2}) \mathbf{a}_1 - y_{11} \mathbf{a}_2 + (z_{11} + \frac{1}{2}) \mathbf{a}_3$	$=$	$-a(x_{11} - \frac{1}{2}) \hat{\mathbf{x}} - by_{11} \hat{\mathbf{y}} + c(z_{11} + \frac{1}{2}) \hat{\mathbf{z}}$	(8c)	Mo III

$$\begin{aligned}
\mathbf{B}_{83} &= \begin{matrix} -x_{11} \mathbf{a}_1 + (y_{11} + \frac{1}{2}) \mathbf{a}_2 - \\ (z_{11} - \frac{1}{2}) \mathbf{a}_3 \end{matrix} = -ax_{11} \hat{\mathbf{x}} + b(y_{11} + \frac{1}{2}) \hat{\mathbf{y}} - c(z_{11} - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{Mo III} \\
\mathbf{B}_{84} &= \begin{matrix} (x_{11} + \frac{1}{2}) \mathbf{a}_1 - (y_{11} - \frac{1}{2}) \mathbf{a}_2 - \\ z_{11} \mathbf{a}_3 \end{matrix} = a(x_{11} + \frac{1}{2}) \hat{\mathbf{x}} - b(y_{11} - \frac{1}{2}) \hat{\mathbf{y}} - cz_{11} \hat{\mathbf{z}} & (8c) & \text{Mo III} \\
\mathbf{B}_{85} &= -x_{11} \mathbf{a}_1 - y_{11} \mathbf{a}_2 - z_{11} \mathbf{a}_3 = -ax_{11} \hat{\mathbf{x}} - by_{11} \hat{\mathbf{y}} - cz_{11} \hat{\mathbf{z}} & (8c) & \text{Mo III} \\
\mathbf{B}_{86} &= \begin{matrix} (x_{11} + \frac{1}{2}) \mathbf{a}_1 + y_{11} \mathbf{a}_2 - \\ (z_{11} - \frac{1}{2}) \mathbf{a}_3 \end{matrix} = a(x_{11} + \frac{1}{2}) \hat{\mathbf{x}} + by_{11} \hat{\mathbf{y}} - c(z_{11} - \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{Mo III} \\
\mathbf{B}_{87} &= \begin{matrix} x_{11} \mathbf{a}_1 - (y_{11} - \frac{1}{2}) \mathbf{a}_2 + \\ (z_{11} + \frac{1}{2}) \mathbf{a}_3 \end{matrix} = ax_{11} \hat{\mathbf{x}} - b(y_{11} - \frac{1}{2}) \hat{\mathbf{y}} + c(z_{11} + \frac{1}{2}) \hat{\mathbf{z}} & (8c) & \text{Mo III} \\
\mathbf{B}_{88} &= \begin{matrix} -(x_{11} - \frac{1}{2}) \mathbf{a}_1 + (y_{11} + \frac{1}{2}) \mathbf{a}_2 + \\ z_{11} \mathbf{a}_3 \end{matrix} = -a(x_{11} - \frac{1}{2}) \hat{\mathbf{x}} + b(y_{11} + \frac{1}{2}) \hat{\mathbf{y}} + cz_{11} \hat{\mathbf{z}} & (8c) & \text{Mo III}
\end{aligned}$$

References

- [1] A. Peppenhorst and H.-L. Keller, *Trigonal-planare CuX_3 -Gruppen in $\text{Cu}_2\text{Mo}_6\text{X}_{14}$, $X = \text{Cl}, \text{Br}, \text{I}$* , Z. Anorganische und Allgemeine Chemie **622**, 663–669 (1996), doi:10.1524/ncrs.2006.0001.

Found in

- [1] W. Xu, P. Wang, and Y.-Q. Zheng, *Crystal structure of dipotassium octakis(μ_3 -bromo)hexabromo-octahedro-hexamolybdenate, $\text{K}_2[\text{Mo}_6\text{Br}_{14}]$* , Z. Kristallogr. NCS **221**, 107–108 (2006).

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.