

COCl Structure:

ABC_oP24_61_c_c_c-001


This structure previously used the label(s) **ABC_oP24_61_c_c_c**. Calls to these addresses will be redirected here.

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Osos, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/EHTG>

https://aflow.org/prototype-encyclopedia/ABC_oP24_61_c_c_c-001



Prototype	CClO
AFLOW prototype label	ABC_oP24_61_c_c_c-001
CCDC	1226359
Pearson symbol	oP24
Space group number	61
Space group symbol	<i>Pbca</i>
AFLOW prototype command	<code>aflow --proto=ABC_oP24_61_c_c_c-001</code> <code>--params=a, b/a, c/a, x₁, y₁, z₁, x₂, y₂, z₂, x₃, y₃, z₃</code>


- (Groth, 1962) are not confident about the atomic positions, saying that “The computed values for the oxalyl chloride molecule ... [are probably] less reliable than those listed for the bromide molecule [COBr].” In fact, we have not been able to reconcile their crystal structure for COBr with the distances between the atoms, so we have left that structure out of the database at this time.

Simple Orthorhombic primitive vectors

$$\mathbf{a}_1 = a \hat{\mathbf{x}}$$

$$\mathbf{a}_2 = b \hat{\mathbf{y}}$$

$$\mathbf{a}_3 = c \hat{\mathbf{z}}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$= x_1 \mathbf{a}_1 + y_1 \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_2$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 - y_1 \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_3$	$= -x_1 \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_4$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_5$	$= -x_1 \mathbf{a}_1 - y_1 \mathbf{a}_2 - z_1 \mathbf{a}_3$	$=$	$-ax_1 \hat{\mathbf{x}} - by_1 \hat{\mathbf{y}} - cz_1 \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_6$	$= \left(x_1 + \frac{1}{2}\right) \mathbf{a}_1 + y_1 \mathbf{a}_2 - \left(z_1 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_1 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_1 \hat{\mathbf{y}} - c\left(z_1 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_7$	$= x_1 \mathbf{a}_1 - \left(y_1 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_1 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_1 \hat{\mathbf{x}} - b\left(y_1 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_1 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_8$	$= -\left(x_1 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_1 + \frac{1}{2}\right) \mathbf{a}_2 + z_1 \mathbf{a}_3$	$=$	$-a\left(x_1 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_1 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_1 \hat{\mathbf{z}}$	(8c)	C I
$\mathbf{B}_9$	$= x_2 \mathbf{a}_1 + y_2 \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{10}$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 - y_2 \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{11}$	$= -x_2 \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{12}$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{13}$	$= -x_2 \mathbf{a}_1 - y_2 \mathbf{a}_2 - z_2 \mathbf{a}_3$	$=$	$-ax_2 \hat{\mathbf{x}} - by_2 \hat{\mathbf{y}} - cz_2 \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{14}$	$= \left(x_2 + \frac{1}{2}\right) \mathbf{a}_1 + y_2 \mathbf{a}_2 - \left(z_2 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$a\left(x_2 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_2 \hat{\mathbf{y}} - c\left(z_2 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{15}$	$= x_2 \mathbf{a}_1 - \left(y_2 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_2 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$ax_2 \hat{\mathbf{x}} - b\left(y_2 - \frac{1}{2}\right) \hat{\mathbf{y}} + c\left(z_2 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{16}$	$= -\left(x_2 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_2 + \frac{1}{2}\right) \mathbf{a}_2 + z_2 \mathbf{a}_3$	$=$	$-a\left(x_2 - \frac{1}{2}\right) \hat{\mathbf{x}} + b\left(y_2 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_2 \hat{\mathbf{z}}$	(8c)	Cl I
$\mathbf{B}_{17}$	$= x_3 \mathbf{a}_1 + y_3 \mathbf{a}_2 + z_3 \mathbf{a}_3$	$=$	$ax_3 \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}}$	(8c)	O I
$\mathbf{B}_{18}$	$= -\left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 - y_3 \mathbf{a}_2 + \left(z_3 + \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-a\left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} + c\left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	O I
$\mathbf{B}_{19}$	$= -x_3 \mathbf{a}_1 + \left(y_3 + \frac{1}{2}\right) \mathbf{a}_2 - \left(z_3 - \frac{1}{2}\right) \mathbf{a}_3$	$=$	$-ax_3 \hat{\mathbf{x}} + b\left(y_3 + \frac{1}{2}\right) \hat{\mathbf{y}} - c\left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}}$	(8c)	O I

$$\begin{aligned}
\mathbf{B}_{20} &= \left(x_3 + \frac{1}{2}\right) \mathbf{a}_1 - \left(y_3 - \frac{1}{2}\right) \mathbf{a}_2 - z_3 \mathbf{a}_3 &= & a \left(x_3 + \frac{1}{2}\right) \hat{\mathbf{x}} - b \left(y_3 - \frac{1}{2}\right) \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}} & (8c) & \text{O I} \\
\mathbf{B}_{21} &= -x_3 \mathbf{a}_1 - y_3 \mathbf{a}_2 - z_3 \mathbf{a}_3 &= & -ax_3 \hat{\mathbf{x}} - by_3 \hat{\mathbf{y}} - cz_3 \hat{\mathbf{z}} & (8c) & \text{O I} \\
\mathbf{B}_{22} &= \left(x_3 + \frac{1}{2}\right) \mathbf{a}_1 + y_3 \mathbf{a}_2 - \left(z_3 - \frac{1}{2}\right) \mathbf{a}_3 &= & a \left(x_3 + \frac{1}{2}\right) \hat{\mathbf{x}} + by_3 \hat{\mathbf{y}} - c \left(z_3 - \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{O I} \\
\mathbf{B}_{23} &= x_3 \mathbf{a}_1 - \left(y_3 - \frac{1}{2}\right) \mathbf{a}_2 + \left(z_3 + \frac{1}{2}\right) \mathbf{a}_3 &= & ax_3 \hat{\mathbf{x}} - b \left(y_3 - \frac{1}{2}\right) \hat{\mathbf{y}} + c \left(z_3 + \frac{1}{2}\right) \hat{\mathbf{z}} & (8c) & \text{O I} \\
\mathbf{B}_{24} &= -\left(x_3 - \frac{1}{2}\right) \mathbf{a}_1 + \left(y_3 + \frac{1}{2}\right) \mathbf{a}_2 + &= & -a \left(x_3 - \frac{1}{2}\right) \hat{\mathbf{x}} + b \left(y_3 + \frac{1}{2}\right) \hat{\mathbf{y}} + cz_3 \hat{\mathbf{z}} & (8c) & \text{O I} \\
&\quad z_3 \mathbf{a}_3
\end{aligned}$$

References

- [1] P. Groth and O. Hassel, *Crystal Structures of Oxalyl Bromide and Oxalyl Chloride*, Acta Chem. Scand. **16**, 2311–2317 (1962), doi:10.3891/acta.chem.scand.16-2311.

First cited in

D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.