

KSH (*B*22) Structure: AB_hR2_166_a_b-003


This structure previously used the label(s) **AB_hR2_166_a_b.KSH**. Calls to these addresses will be redirected here.

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/HA1H>

https://aflow.org/prototype-encyclopedia/AB_hR2_166_a_b-003



Prototype	HKS
AFLOW prototype label	AB_hR2_166_a_b-003
<i>Strukturbericht</i> designation	<i>B</i> 22
ICSD	26729
CCDC	1602115
Pearson symbol	hR2
Space group number	166
Space group symbol	$R\bar{3}m$

AFLOW prototype command `aflow --proto=AB_hR2_166_a_b-003`
 `--params=a,c/a`


Other compounds with this structure

NaSH, RbSH, CsSH, LiPb (LT)

- This is the room-temperature structure of KSH. The S and H atoms form an SH^- ion, and so are listed together at the (1b) Wyckoff position, leading to the listing of this compound in the *B Strukturbericht* category.
- Our original presentation of this structure (Hicks, 2021) inadvertently used a “face-centered” version of this structure. Here we use original orientation used by (West, 1934).
- The ICSD designates NaHS as the structure type, but we use KSH as the prototype because of its *Strukturbericht* designation.
- CuPt ($L1_1$) and KSH have the same AFLOW prototype label, AB_hR2_166_a_b. They are generated by the same symmetry operations with different sets of parameters (`--params`) specified in their corresponding CIF files.
- Hexagonal settings of this structure can be obtained with the option `--hex`.

Rhombohedral primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= \frac{1}{2}a\hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a\hat{\mathbf{y}} + \frac{1}{3}c\hat{\mathbf{z}} \\ \mathbf{a}_2 &= \frac{1}{\sqrt{3}}a\hat{\mathbf{y}} + \frac{1}{3}c\hat{\mathbf{z}} \\ \mathbf{a}_3 &= -\frac{1}{2}a\hat{\mathbf{x}} - \frac{\sqrt{3}}{6}a\hat{\mathbf{y}} + \frac{1}{3}c\hat{\mathbf{z}}\end{aligned}$$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	=	0	=	0	(1a) K I
$\mathbf{B}_2$	=	$\frac{1}{2}\mathbf{a}_1 + \frac{1}{2}\mathbf{a}_2 + \frac{1}{2}\mathbf{a}_3$	=	$\frac{1}{2}c\hat{\mathbf{z}}$	(1b) S I

References

- [1] C. D. West, *The Crystal Structures of Some Alkali Hydrosulfides and Monosulfides*, Z. Krystallogr. **88**, 97–115 (1934), doi:10.1524/zkri.1934.88.1.97.
- [2] D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi:10.1016/j.commatsci.2021.110450.

Found in

- [1] C. Gottfried and F. Schossberger, eds., *Strukturbericht Band III 1933-1935* (Akademische Verlagsgesellschaft M. B. H., Leipzig, 1937).

First cited in

D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.