NaPb Structure: AB_tI64_142_ef_g-001

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

---

https://aflow.org/prototype-encyclopedia/X6RS

https://aflow.org/prototype-encyclopedia/AB_tI64_142_ef_g-001



Prototype	NaPb
AFLOW prototype label	AB_tI64_142_ef_g-001
ICSD	105156
CCDC	1663049
Pearson symbol	tI64
Space group number	142
Space group symbol	$I4_1/acd$
AFLOW prototype command	`aflow --proto=AB_tI64_142_ef_g-001 --params=`$a, c/a, x_1, x_2, x_3, y_3, z_3$

Other compounds with this structure
CsPb, CsSn, KPb, KSn, RbPb, RbSn

- (Marsh, 1953) describe the structure in the first setting of space group $I4_1/acd$ #142. We used FINDSYM to translate this into the standard second setting.

Body-centered Tetragonal primitive vectors

$$\begin{aligned}
\mathbf{a_1} &= -\tfrac{1}{2}a\,\hat{\mathbf{x}} + \tfrac{1}{2}a\,\hat{\mathbf{y}} + \tfrac{1}{2}c\,\hat{\mathbf{z}} \\
\mathbf{a_2} &= \tfrac{1}{2}a\,\hat{\mathbf{x}} - \tfrac{1}{2}a\,\hat{\mathbf{y}} + \tfrac{1}{2}c\,\hat{\mathbf{z}} \\
\mathbf{a_3} &= \tfrac{1}{2}a\,\hat{\mathbf{x}} + \tfrac{1}{2}a\,\hat{\mathbf{y}} - \tfrac{1}{2}c\,\hat{\mathbf{z}}
\end{aligned}$$



Basis vectors

		Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B_1}$	=	$\tfrac{1}{4}\,\mathbf{a}_1 + \left(x_1 + \tfrac{1}{4}\right)\,\mathbf{a}_2 + x_1\,\mathbf{a}_3$	=	$ax_1\,\hat{\mathbf{x}} + \tfrac{1}{4}c\,\hat{\mathbf{z}}$	(16e)	Na I
$\mathbf{B_2}$	=	$\tfrac{3}{4}\,\mathbf{a}_1 - \left(x_1 - \tfrac{1}{4}\right)\,\mathbf{a}_2 - \left(x_1 - \tfrac{1}{2}\right)\,\mathbf{a}_3$	=	$-ax_1\,\hat{\mathbf{x}} + \tfrac{1}{2}a\,\hat{\mathbf{y}} + \tfrac{1}{4}c\,\hat{\mathbf{z}}$	(16e)	Na I
$\mathbf{B_3}$	=	$\left(x_1 + \tfrac{1}{4}\right)\,\mathbf{a}_1 + \tfrac{3}{4}\,\mathbf{a}_2 + x_1\,\mathbf{a}_3$	=	$\tfrac{1}{4}a\,\hat{\mathbf{x}} + a\left(x_1 - \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{1}{2}c\,\hat{\mathbf{z}}$	(16e)	Na I
$\mathbf{B_4}$	=	$-\left(x_1 - \tfrac{1}{4}\right)\,\mathbf{a}_1 + \tfrac{1}{4}\,\mathbf{a}_2 - \left(x_1 - \tfrac{1}{2}\right)\,\mathbf{a}_3$	=	$\tfrac{1}{4}a\,\hat{\mathbf{x}} - a\left(x_1 - \tfrac{1}{4}\right)\,\hat{\mathbf{y}}$	(16e)	Na I
$\mathbf{B_5}$	=	$\tfrac{3}{4}\,\mathbf{a}_1 - \left(x_1 - \tfrac{3}{4}\right)\,\mathbf{a}_2 - x_1\,\mathbf{a}_3$	=	$-ax_1\,\hat{\mathbf{x}} + \tfrac{3}{4}c\,\hat{\mathbf{z}}$	(16e)	Na I
$\mathbf{B_6}$	=	$\tfrac{1}{4}\,\mathbf{a}_1 + \left(x_1 + \tfrac{3}{4}\right)\,\mathbf{a}_2 + \left(x_1 + \tfrac{1}{2}\right)\,\mathbf{a}_3$	=	$a\left(x_1 + \tfrac{1}{2}\right)\,\hat{\mathbf{x}} + \tfrac{1}{4}c\,\hat{\mathbf{z}}$	(16e)	Na I
$\mathbf{B_7}$	=	$-\left(x_1 - \tfrac{3}{4}\right)\,\mathbf{a}_1 + \tfrac{1}{4}\,\mathbf{a}_2 - x_1\,\mathbf{a}_3$	=	$-\tfrac{1}{4}a\,\hat{\mathbf{x}} - a\left(x_1 - \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{1}{2}c\,\hat{\mathbf{z}}$	(16e)	Na I
$\mathbf{B_8}$	=	$\left(x_1 + \tfrac{3}{4}\right)\,\mathbf{a}_1 + \tfrac{3}{4}\,\mathbf{a}_2 + \left(x_1 + \tfrac{1}{2}\right)\,\mathbf{a}_3$	=	$\tfrac{1}{4}a\,\hat{\mathbf{x}} + a\left(x_1 + \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{1}{2}c\,\hat{\mathbf{z}}$	(16e)	Na I
$\mathbf{B_9}$	=	$\left(x_2 + \tfrac{3}{8}\right)\,\mathbf{a}_1 + \left(x_2 + \tfrac{1}{8}\right)\,\mathbf{a}_2 + \left(2x_2 + \tfrac{1}{4}\right)\,\mathbf{a}_3$	=	$ax_2\,\hat{\mathbf{x}} + a\left(x_2 + \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{1}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{10}}$	=	$-\left(x_2 - \tfrac{3}{8}\right)\,\mathbf{a}_1 - \left(x_2 - \tfrac{1}{8}\right)\,\mathbf{a}_2 - \left(2x_2 - \tfrac{1}{4}\right)\,\mathbf{a}_3$	=	$-ax_2\,\hat{\mathbf{x}} - a\left(x_2 - \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{1}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{11}}$	=	$\left(x_2 + \tfrac{1}{8}\right)\,\mathbf{a}_1 - \left(x_2 - \tfrac{3}{8}\right)\,\mathbf{a}_2 + \tfrac{3}{4}\,\mathbf{a}_3$	=	$-a\left(x_2 - \tfrac{1}{2}\right)\,\hat{\mathbf{x}} + a\left(x_2 + \tfrac{1}{4}\right)\,\hat{\mathbf{y}} - \tfrac{1}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{12}}$	=	$-\left(x_2 - \tfrac{1}{8}\right)\,\mathbf{a}_1 + \left(x_2 + \tfrac{3}{8}\right)\,\mathbf{a}_2 + \tfrac{3}{4}\,\mathbf{a}_3$	=	$a\left(x_2 + \tfrac{1}{2}\right)\,\hat{\mathbf{x}} - a\left(x_2 - \tfrac{1}{4}\right)\,\hat{\mathbf{y}} - \tfrac{1}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{13}}$	=	$-\left(x_2 - \tfrac{5}{8}\right)\,\mathbf{a}_1 - \left(x_2 - \tfrac{7}{8}\right)\,\mathbf{a}_2 - \left(2x_2 - \tfrac{3}{4}\right)\,\mathbf{a}_3$	=	$-a\left(x_2 - \tfrac{1}{2}\right)\,\hat{\mathbf{x}} - a\left(x_2 - \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{3}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{14}}$	=	$\left(x_2 + \tfrac{5}{8}\right)\,\mathbf{a}_1 + \left(x_2 + \tfrac{7}{8}\right)\,\mathbf{a}_2 + \left(2x_2 + \tfrac{3}{4}\right)\,\mathbf{a}_3$	=	$a\left(x_2 + \tfrac{1}{2}\right)\,\hat{\mathbf{x}} + a\left(x_2 + \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{3}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{15}}$	=	$-\left(x_2 - \tfrac{7}{8}\right)\,\mathbf{a}_1 + \left(x_2 + \tfrac{5}{8}\right)\,\mathbf{a}_2 + \tfrac{1}{4}\,\mathbf{a}_3$	=	$ax_2\,\hat{\mathbf{x}} - a\left(x_2 - \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{5}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{16}}$	=	$\left(x_2 + \tfrac{7}{8}\right)\,\mathbf{a}_1 - \left(x_2 - \tfrac{5}{8}\right)\,\mathbf{a}_2 + \tfrac{1}{4}\,\mathbf{a}_3$	=	$-ax_2\,\hat{\mathbf{x}} + a\left(x_2 + \tfrac{1}{4}\right)\,\hat{\mathbf{y}} + \tfrac{5}{8}c\,\hat{\mathbf{z}}$	(16f)	Na II
$\mathbf{B_{17}}$	=	$(y_3 + z_3)\,\mathbf{a}_1 + (x_3 + z_3)\,\mathbf{a}_2 + (x_3 + y_3)\,\mathbf{a}_3$	=	$ax_3\,\hat{\mathbf{x}} + ay_3\,\hat{\mathbf{y}} + cz_3\,\hat{\mathbf{z}}$	(32g)	Pb I

$$\mathbf{B_{18}} = \left(-y_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_1 - \left(x_3 - z_3\right)\mathbf{a}_2 - \left(x_3 + y_3 - \tfrac{1}{2}\right)\mathbf{a}_3 = -ax_3\,\hat{\mathbf{x}} - a\left(y_3 - \tfrac{1}{2}\right)\hat{\mathbf{y}} + cz_3\,\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{19}} = \left(x_3 + z_3\right)\mathbf{a}_1 + \left(-y_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_2 + \left(x_3 - y_3\right)\mathbf{a}_3 = -a\left(y_3 - \tfrac{1}{4}\right)\hat{\mathbf{x}} + a\left(x_3 - \tfrac{1}{4}\right)\hat{\mathbf{y}} + c\left(z_3 + \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{20}} = -\left(x_3 - z_3\right)\mathbf{a}_1 + \left(y_3 + z_3\right)\mathbf{a}_2 + \left(-x_3 + y_3 + \tfrac{1}{2}\right)\mathbf{a}_3 = a\left(y_3 + \tfrac{1}{4}\right)\hat{\mathbf{x}} - a\left(x_3 - \tfrac{1}{4}\right)\hat{\mathbf{y}} + c\left(z_3 - \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{21}} = \left(y_3 - z_3\right)\mathbf{a}_1 - \left(x_3 + z_3 - \tfrac{1}{2}\right)\mathbf{a}_2 + \left(-x_3 + y_3 + \tfrac{1}{2}\right)\mathbf{a}_3 = -a\left(x_3 - \tfrac{1}{2}\right)\hat{\mathbf{x}} + ay_3\,\hat{\mathbf{y}} - cz_3\,\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{22}} = -\left(y_3 + z_3 - \tfrac{1}{2}\right)\mathbf{a}_1 + \left(x_3 - z_3 + \tfrac{1}{2}\right)\mathbf{a}_2 + \left(x_3 - y_3\right)\mathbf{a}_3 = ax_3\,\hat{\mathbf{x}} - ay_3\,\hat{\mathbf{y}} - c\left(z_3 - \tfrac{1}{2}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{23}} = \left(x_3 - z_3 + \tfrac{1}{2}\right)\mathbf{a}_1 + \left(y_3 - z_3\right)\mathbf{a}_2 + \left(x_3 + y_3\right)\mathbf{a}_3 = a\left(y_3 - \tfrac{1}{4}\right)\hat{\mathbf{x}} + a\left(x_3 + \tfrac{1}{4}\right)\hat{\mathbf{y}} - c\left(z_3 - \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{24}} = -\left(x_3 + z_3 - \tfrac{1}{2}\right)\mathbf{a}_1 - \left(y_3 + z_3 - \tfrac{1}{2}\right)\mathbf{a}_2 - \left(x_3 + y_3 - \tfrac{1}{2}\right)\mathbf{a}_3 = -a\left(y_3 - \tfrac{1}{4}\right)\hat{\mathbf{x}} - a\left(x_3 - \tfrac{1}{4}\right)\hat{\mathbf{y}} - c\left(z_3 - \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{25}} = -\left(y_3 + z_3\right)\mathbf{a}_1 - \left(x_3 + z_3\right)\mathbf{a}_2 - \left(x_3 + y_3\right)\mathbf{a}_3 = -ax_3\,\hat{\mathbf{x}} - ay_3\,\hat{\mathbf{y}} - cz_3\,\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{26}} = \left(y_3 - z_3 + \tfrac{1}{2}\right)\mathbf{a}_1 + \left(x_3 - z_3\right)\mathbf{a}_2 + \left(x_3 + y_3 + \tfrac{1}{2}\right)\mathbf{a}_3 = ax_3\,\hat{\mathbf{x}} + a\left(y_3 + \tfrac{1}{2}\right)\hat{\mathbf{y}} - cz_3\,\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{27}} = -\left(x_3 + z_3\right)\mathbf{a}_1 + \left(y_3 - z_3 + \tfrac{1}{2}\right)\mathbf{a}_2 - \left(x_3 - y_3\right)\mathbf{a}_3 = a\left(y_3 + \tfrac{1}{4}\right)\hat{\mathbf{x}} - a\left(x_3 + \tfrac{1}{4}\right)\hat{\mathbf{y}} - c\left(z_3 - \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{28}} = \left(x_3 - z_3\right)\mathbf{a}_1 - \left(y_3 + z_3\right)\mathbf{a}_2 + \left(x_3 - y_3 + \tfrac{1}{2}\right)\mathbf{a}_3 = -a\left(y_3 - \tfrac{1}{4}\right)\hat{\mathbf{x}} + a\left(x_3 + \tfrac{1}{4}\right)\hat{\mathbf{y}} - c\left(z_3 + \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{29}} = -\left(y_3 - z_3\right)\mathbf{a}_1 + \left(x_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_2 + \left(x_3 - y_3 + \tfrac{1}{2}\right)\mathbf{a}_3 = a\left(x_3 + \tfrac{1}{2}\right)\hat{\mathbf{x}} - ay_3\,\hat{\mathbf{y}} + cz_3\,\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{30}} = \left(y_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_1 + \left(-x_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_2 - \left(x_3 - y_3\right)\mathbf{a}_3 = -ax_3\,\hat{\mathbf{x}} + ay_3\,\hat{\mathbf{y}} + c\left(z_3 + \tfrac{1}{2}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{31}} = \left(-x_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_1 - \left(y_3 - z_3\right)\mathbf{a}_2 - \left(x_3 + y_3\right)\mathbf{a}_3 = -a\left(y_3 + \tfrac{1}{4}\right)\hat{\mathbf{x}} - a\left(x_3 - \tfrac{1}{4}\right)\hat{\mathbf{y}} + c\left(z_3 + \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

$$\mathbf{B_{32}} = \left(x_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_1 + \left(y_3 + z_3 + \tfrac{1}{2}\right)\mathbf{a}_2 + \left(x_3 + y_3 + \tfrac{1}{2}\right)\mathbf{a}_3 = a\left(y_3 + \tfrac{1}{4}\right)\hat{\mathbf{x}} + a\left(x_3 + \tfrac{1}{4}\right)\hat{\mathbf{y}} + c\left(z_3 + \tfrac{1}{4}\right)\hat{\mathbf{z}}$$ (32g) Pb I

References

[1] R. E. Marsh and D. P. Shoemaker, *The crystal structure of NaPb*, Acta Cryst. **6**, 197–205 (1953), doi:10.1107/S0365110X53000570.

Found in

[1] W. B. Pearson, *A Handbook of Lattice Spacings and Structures of Metals and Alloys, Volume 2*, *International Series of Monographs on Metal Physics and Physical Metallurgy*, vol. 8 (Pergamon Press, Oxford, London, Edinburgh, New York, Toronto, Sydney, Paris, Braunschweig, 1967).

First cited in

H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.