

γ -Pu Structure:

A_oF8_70_a-001


This structure previously used the label(s) **A_oF8_70_a**. Calls to these addresses will be redirected here.

Cite this page as:

- H. Eckert, S. Divilov, M. J. Mehl, D. Hicks, A. C. Zettel, M. Esters, X. Campilongo, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 4*, Comput. Mater. Sci. **240**, 112988 (2024), doi: 10.1016/j.commatsci.2024.112988.
- D. Hicks, M. J. Mehl, M. Esters, C. Oses, O. Levy, G. L. W. Hart, C. Toher, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 3*, Comput. Mater. Sci. **199**, 110450 (2021), doi: 10.1016/j.commatsci.2021.110450.

<https://aflow.org/prototype-encyclopedia/7VYN>

https://aflow.org/prototype-encyclopedia/A_oF8_70_a-001



Prototype	Pu
AFLOW prototype label	A_oF8_70_a-001
ICSD	44866
CCDC	1614201
Pearson symbol	oF8
Space group number	70
Space group symbol	<i>Fddd</i>
AFLOW prototype command	<code>aflow --proto=A_oF8_70_a-001 --params=a,b/a,c/a</code>

- Plutonium has been found in a variety of structures (Donohue, 1982):
 - α -Pu
 - β -Pu
 - γ -Pu (this structure)
 - δ -Pu is in the face-centered cubic $A1$ structure
 - δ' -Pu is in the body-centered tetragonal $A6$ (In) structure
 - ϵ -Pu is in the body-centered cubic $A2$ structure
- It is obvious from the coordinates that this is an extremely distorted diamond ($A4$) structure, but, as noted by (Donohue, 1982), it can also be considered as a distorted hcp ($A3$) structure.

Face-centered Orthorhombic primitive vectors

$$\begin{aligned}\mathbf{a}_1 &= \frac{1}{2}b\hat{\mathbf{y}} + \frac{1}{2}c\hat{\mathbf{z}} \\ \mathbf{a}_2 &= \frac{1}{2}a\hat{\mathbf{x}} + \frac{1}{2}c\hat{\mathbf{z}} \\ \mathbf{a}_3 &= \frac{1}{2}a\hat{\mathbf{x}} + \frac{1}{2}b\hat{\mathbf{y}}\end{aligned}$$

$\mathbf{a}_2$ $\mathbf{a}_1$ $\mathbf{a}_3$



Basis vectors

	Lattice coordinates		Cartesian coordinates	Wyckoff position	Atom type
$\mathbf{B}_1$	$=$	$\frac{1}{8}\mathbf{a}_1 + \frac{1}{8}\mathbf{a}_2 + \frac{1}{8}\mathbf{a}_3$	$=$	$\frac{1}{8}a\hat{\mathbf{x}} + \frac{1}{8}b\hat{\mathbf{y}} + \frac{1}{8}c\hat{\mathbf{z}}$	(8a) Pu I
$\mathbf{B}_2$	$=$	$\frac{7}{8}\mathbf{a}_1 + \frac{7}{8}\mathbf{a}_2 + \frac{7}{8}\mathbf{a}_3$	$=$	$\frac{7}{8}a\hat{\mathbf{x}} + \frac{7}{8}b\hat{\mathbf{y}} + \frac{7}{8}c\hat{\mathbf{z}}$	(8a) Pu I

References

- [1] W. H. Zachariasen and F. H. Ellinger, *Crystal chemical studies of the 5f-series of elements. XXIV. The crystal structure and thermal expansion of γ -plutonium*, Acta Cryst. **8**, 431–433 (1955), doi:10.1107/S0365110X55001357.

Found in

- [1] J. Donohue, *The Structures of the Elements* (Robert E. Krieger Publishing Company, New York, 1974).

First cited in

M. J. Mehl, D. Hicks, C. Toher, O. Levy, R. M. Hanson, G. L. W. Hart, and S. Curtarolo, *The AFLOW Library of Crystallographic Prototypes: Part 1*, Comput. Mater. Sci. **136**, S1-828 (2017). doi: 10.1016/j.commatsci.2017.01.017